



SWE-100 MKII HF Broadband Antenna
Single Wire End Fed Dipole 2.0-30MHz

The new SWE-100 MKII is a single wire end fed HF broadband antenna designed for either permanent or quick deployment casual use. It has a frequency range of 2.0-30MHz *without the need for a tuner.*

The "Easy To Erect" SWE-100 MKII is an efficient broadband antenna. One side of the balun goes to earth and the other is elevated above the ground.

The SWE is available in two models:

1. The bare **SWE-100 MKII** antenna only, generally used for a permanent installation.
2. The **SWE-100P MKII** is a SWE-100 antenna variant employing ultra flexible stainless wire as a radiating element. This system is supplied with a Quick Deployment Kit which includes accessories for portable and temporary installations. Information on the SWE-100P can be found on our Brochure Library Page.

SPECIAL FEATURES

- 2.0 - 30 MHz
- 60W (125W PEP)
- No Tuner Required
- 24 metre long radiating element
- s/steel wire and fittings
- UV resistant Balun /load boxes
- Easy Installation (instructions provided)



SWE-100 24 metre single wire end-fed HF broadband antenna


SPECIFICATION

ELECTRICAL

Frequency Range	2.0-30MHz
Power Rating:	125W PEP 60W continuous

MECHANICAL

Length	32 m total. 24m antenna, 8m earth.
Packed weight	SWE-100 ~ 900gm



As an emergency antenna, the SWE-100 can be deployed in several configurations

