

Icom Connection Cables Reference List

Cable #	Rating	Purpose	Comments
<b>EX-299</b>	-	CK70 (DC cable kit) for R70, R71, R7000	-
<b>OPC-001</b>	-	DC Power Cable for 40A, 202A, 402A, 502A	-
<b>OPC-008</b>	-	DC Power Cable for 20L, 30L, 50L, 22A, 230	-
<b>OPC-010</b>	-	DC Power Cable for IC-280 memory	-
<b>OPC-012</b>	-	Power Cable for DC1, DM1, 202, EX704	same as OPC-207
<b>OPC-017A</b>	-	Cloning Cable for 77 to CT-17	-
<b>OPC-020</b>	-	DC Power connector converter, PS20	6 pin
<b>OPC-021A</b>	5 A	DC Power Cable, 730s	6 pin, 3 meter wht, blk
<b>OPC-021B</b>	10 A	DC Power Cable for 271A, 471A, 275	25 Watt units, 6 pin, 3 meter, wht, blk
<b>OPC-022</b>	-	DC Power Cable for 720A	6 pin, 3 meters
<b>OPC-023A</b>	5 A	DC Power Cable for 45A, 260, 290H, 255A, 1200, 25A, 120, 490, AT500, 245, AT100, 280, 221, 220, 560, 290, 490, (R71/A with CK70 Kit), 22S	4 pin, 3 meter wht, gry
<b>OPC-023B</b>	10 A	DC Power Cable for 25A, 27A, 125, 211, 37A	4 pin, 3 meter, wht
<b>OPC-023C</b>	3 A	DC Power Cable for R7100, R8500	4 pin, 3 meter, wht, blk
<b>OPC-024</b>	5 A	DC Power Cable for 505	3 pin, 3 meter
<b>OPC-025A</b>	20 A	DC Power Cable for 229H, 271H, 275A, 275H, 471H, 707, 718, 720, 725, 726, 728, 730, 735, 737, 737A, 740, 745, 746, 751, 751A, 77, 78, 756, 820H, 821H, 970	6 pin, blk
<b>OPC-025B</b>	10 A	DC Power Cable for 371	6 pin 3 meter, blk, gry
<b>OPC-025C</b>	15 A	DC Power Cable for 271A, 471A	6 pin, 3 meter, blk, blu
<b>OPC-025D</b>	30 A	DC Power Cable for 706, 706MK2, 706MK2G, 756/PRO	6 pin, 3 meter, blk, grn
<b>OPC-026</b>	-	-	2 long

<b>OPC-027</b>	10 A	DC Power Cable for M80, M100, M25, M25D, M120	6 pin
<b>OPC-027A</b>	10 A	DC Power Cable for M80, M100, M25, M25D, M120	gray
<b>OPC-034</b>	-	AC Power Cable for most AC units, R71A, R7100, AT100, AT500, 2KPS	3 pin, 2 meter, blk
<b>OPC-044A</b>	10 A	DC Power Cable for 28A, 38A, M55, M56, UA1	2 pin, 3 meter
<b>OPC-044B</b>	15 A	DC Power Cable for V100, U400, 25H, 27H, 2400, 2500, 28A, 28H, 38A, 48A, 228A, 228H, 1200, U400, 435, 3200, 47A, 3210, 2410A, 2330A	2 pin, 3 meter, blk
<b>OPC-045</b>	-	DC Power Cord for PS30	6 pin
<b>OPC-046</b>	-	AC Power Cable for 2KPS	-
<b>OPC-047</b>	-	Accessory Cable for 271A, 271H	24 pin
<b>OPC-052</b>	-	DC Power Cable for PS30	2 pin
<b>OPC-053</b>	10 A	DC Power Cable for PS30	4 pin
<b>OPC-054</b>	10 A	DC Power Cable for PS30	2 pin to 6 pin
<b>OPC-069</b>	-	Wire Antenna for R71, R100	-
<b>OPC-077</b>	30 A	DC Power Cable for M600, M700, M700TY, M800, M810	6 pin, 3 meter
<b>OPC-087</b>	-	Antenna connector for 1200, 1201	-
<b>OPC-088</b>	-	Cable for SM8	-
<b>OPC-089</b>	-	DC Power Cable for M80, M100, M120	no mic hanger
<b>OPC-089A</b>	-	Remote Cable for M800	6 pin
<b>OPC-095</b>	5 A	DC Power Cable for 3200A, 900	2 pin, 3 meter, wht, blk
<b>OPC-102</b>	10 A	Cable for PS45, 229A, 38A	2 pin
<b>OPC-103</b>	-	Antenna Cable and connector pigtail, M55	-
<b>OPC-104</b>	-	Control Cable for 707, 725, 726, 728, 729 735, 746, 756/PRO, 761, 765, 775 to AT150, AT160	DIN 7 pin, 3 meter
<b>OPC-104B</b>	-	ACC(2) Cable 756, 765, 775, to 4KL, PW1	-
<b>OPC-115</b>	-	Pigtail for M55, M56	-
<b>OPC-116</b>	-	Replacement Pigtail for M55, M56	-
<b>OPC-117A</b>	-	Cable for mic hanger, M125, M57	white

<b>OPC-117B</b>	-	Cable for mic hanger, M125, M57	blk
<b>OPC-118</b>	-	Adapter Cable for 725, 726, 735,746, to 2KL, AT100, AT500, 761, 765, 775, 781	24 pin to 8 pin
<b>OPC-125</b>	-	Coax Patch Cable for AT150 to 2KL, AT160 to 725, 726, 728, 729	-
<b>OPC-125B</b>	-	Coax Cable, PW1	-
<b>OPC-125C</b>	-	Coax Cable to Antenna	-
<b>OPC-126</b>	-	Adapter Cable for 751A to AT150	24 pin to DIN
<b>OPC-129</b>	-	Cloning Cable for H16, H18, U18, H28, M7, M9, H10,U10,H16T, U16T, U28, H8, U8, V220, U220	Transceiver to Transceiver via EX1196
<b>OPC-131</b>	2 A	DC Power Cable for R100, R72	-
<b>OPC-133</b>	-	Cloning Cable for V100, U400, U200, V200	V100-V100, U400-U400
<b>OPC-136</b>	-	Control Cable for AH2, AH3, AH4, 706, 706MK2, 706MK2G, 729, 736, 745, 746, 751, 756, 751 to 4KL	5 meter, 4 pin
<b>OPC-137</b>	-	Interface Cable for AH2 to 751A, 751A to 4KL, 751A to AT150	DIN to 24 pin
<b>OPC-138</b>	-	Interface Cable for AH2 to 751A, 751A to 4KL, 751A to AT150	-
<b>OPC-158</b>	-	M100 ACC pigtail	-
<b>OPC-162</b>	-	Video Cable, TV-R7100	-
<b>OPC-168</b>	-	Cloning Cable for U16-U200, H16-V200, V101	mini jack and 7 pin mic
<b>OPC-170</b>	15 A	DC Power Cable for 900, 901A	2 pin, 7 meter, blk
<b>OPC-172</b>	-	Fiber Optic Cable for 900, 901	5 meter
<b>OPC-172A</b>	-	Fiber Optic Cable for M800	5 meter
<b>OPC-177</b>	-	Cable A for 900, trunked transceivers, U81T, U810T	3 wire, for field programming with EX-1321
<b>OPC-178</b>	-	Cloning Cable, V200T, U200T, V210T, U2; V200T-V200T, V210T-V210T	-
<b>OPC-179</b>	-	Ribbon Cable for 900, 901 band units	15 pin
<b>OPC-184</b>	15 A	DC Power Cable for 900, 901	2 pin, 7 meter, blk

<b>OPC-189</b>	-	Fiber Optic Cable for 900, 901	20 meter
<b>OPC-191</b>	10 A	DC Power Cable for M500	3 meter, with mic hanger
<b>OPC-192</b>	-	Remote control cable, 900	4 meter, 3 conductor mini plug
<b>OPC-198</b>	-	Intercom Cable for UA1 to switch and speakers	-7 pin, for marine radios
<b>OPC-202</b>	10 A	DC Power Cable, M500D	6 pin, 3 meter
<b>OPC-207</b>	-	DC Power Cable for 02AT, 2GAT, 32AT, A20, A21	plug, CP-1
<b>OPC-213</b>	-	Cable for 901	-
<b>OPC-216</b>	-	Remote control Cable for 4KL	15DP plug
<b>OPC-218</b>	10 A	DC Power Cable for M120	6 pin, gray, with mic hanger
<b>OPC-221</b>	-	DC Power Cable, UX-95 + M120	-
<b>OPC-235</b>	-	Mini DC Power Cable for 2S, 2SAT	equiv to OPC-254
<b>OPC-238</b>	-	DC Power Cable, M56	2 pin with GND
<b>OPC-239B</b>	-	Mic hanger cable, M56 floating	use with OPC-238
<b>OPC-243</b>	20 A	DC Power Cable for 901	6 pin, 7 meter
<b>OPC-248</b>	-	Fiber Optic Cable for M800	20 meter
<b>OPC-254</b>	-	Charging Cable for BC72, 2SAT, 4SAT, 2SA, 4SA, T21AT, T41AT, 24AT, P2AT, P3AT, P4AT, R1, M7, M9, W31A, S21A, S41A	plug, CP12
<b>OPC-254L</b>	-	DC Power Cable for A23, A4, A5, M3A, T8A, W32A, T2A/H, T22A, T42A, T8A, T81A, T7A, F3, F4, F3S, F4S, F4SR	plug, CP12L
<b>OPC-271</b>	-	Cloning Cable, M56, M57	mini plug to int. connector
<b>OPC-272</b>	-	Coning Cable, M120, M125	mini plug to int. connector
<b>OPC-275</b>	-	DC Power Cable, marine navigation	4 pin
<b>OPC-285</b>	-	NMEA0182, NMEA0183 to FF-88, MR40	-
<b>OPC-286</b>	-	System Cable for Scanner unit to MR40, MR61, MR610	30 meter
<b>OPC-288</b>	-	DC Power Cable for V21AT, 2GXAT, X21AT, Delta 1A, W21AT, X2, W2, 2SRA, 4SRA, 2710H	for operation and charging

<b>OPC-288L</b>	-	DC Power Cable for 2GXAT, 2iA, 4iA, 2100H	for operation and charging
<b>OPC-291</b>	-	DC Power Cable for M125, M126B, M127B	black
<b>OPC-291A</b>	-	DC Power Cable for M125, M126W, M127W	white
<b>OPC-293</b>	-	Cloning Cable, V210T/U210T	V210-EX704 or EX1196
<b>OPC-296</b>	-	Unit to Unit cloning V220/U220, V220-V220	-
<b>OPC-298</b>	-	Cloning Cable for V220/U220	EX-704-V220
<b>OPC-302</b>	-	ACC Cable, M600	7 pin, for ACC2
<b>OPC-303</b>	-	ACC Cable, M600	8 pin, for ACC1
<b>OPC-319</b>	-	4pin ACC Cable from AT160 to 725, 726, 728, 729	-
<b>OPC-326</b>	-	Mic cable with hanger U810T	-
<b>OPC-332</b>	-	Separation Cable for Delta100	3.5 meter
<b>OPC-333</b>	-	Separation Cable for Delta100	7 meter
<b>OPC-335</b>	-	Speaker Cable for Delta100	5 meter
<b>OPC-343</b>	5 A	DC Power Cable, Delta100	3 meter
<b>OPC-344</b>	10 A	DC Power Cable for UA4, A110	3 meter
<b>OPC-345</b>	15 A	DC Power Cable for 2340H	3 meter
<b>OPC-346</b>	15 A	DC Power Cable for Delta100, 207H, 281H, 481H, 2000H, 2340H, 2350H, 2700H, 2710H, 2800H, F320(S), F420(S)	3 meter
<b>OPC-347</b>	20 A	DC Power Cable same as radios as OPC-346	7 meter
<b>OPC-355</b>	-	DC Power Cable for M57, M58	-
<b>OPC-356</b>	-	DC Power pigtail for M59	-
<b>OPC-381</b>	-	Ignition Cable, U810T	-
<b>OPC-420</b>	-	Control Cable for M600, M700,M700TY, M800, M810, 706, 706MK2, 706MK2G, 725, 726, 728, 729, 737/A, 738 to AT120, AT130	radio to tuner, 10 m
<b>OPC-427</b>	-	Cloning Cable for EX-1489 to F30LT, F40LT, F30/F40 PC to TR, F30LT/F40LT PC to TR, F35/F45 PC to TR	D-sub 9 pin to F30 mic
<b>OPC-434</b>	-	NMEA Cable for GP22	requires EX 1443

<b>OPC-438</b>	-	Separation Cable for 2700H	3.5 meter
<b>OPC-439</b>	-	Separation Cable for 2700H	7 meter
<b>OPC-440</b>	-	Mic extension cable for HM98	5 meter
<b>OPC-441</b>	-	Speaker extension cable for 207H, 2700H, 2710H	1 cable for both speakers,5m
<b>OPC-444</b>	-	Cloning Cable, F30/F40, F30LT to F30LT; F40LT to F40LT	transceiver to transceiver
<b>OPC-456</b>	-	Hailer/Intercom pigtail from M126	-
<b>OPC-457</b>	-	DSC pigtail from M126, M127, M59	-
<b>OPC-460</b>	-	DC Power pigtail from M126	-
<b>OPC-474</b>	-	Cloning Cable	Radio to radio
<b>OPC-476</b>	-	Cloning Cable, V68, U68	transceiver to transceiver
<b>OPC-478</b>	-	Cloning Cable PC to radio for A4, W32A, T2A/H, T7H, T8A, T81A, F10/F20, R2, R10, 2100, 2800	DB9 pin to 3.5mm stereo
<b>OPC-483</b>	-	Allows connection of a UA1 to a M126	-
<b>OPC-486</b>	-	Cloning Cable, M126DSC	-
<b>OPC-498</b>	-	Microphone adapter cable Delta 100	4 pin modular to 8 pin mic con
<b>OPC-499</b>	-	Headset Adapter Cable for A3, A22	-
<b>OPC-500</b>	-	Separation cable for Z1A	-
<b>OPC-515</b>	-	Cloning Cable Adapter for OPC-478 to GM1500	-
<b>OPC-515L</b>	-	DC Power Cable for A3, A22, M1	-
<b>OPC-531</b>	-	DSC Terminal Cable, M710DSC	-
<b>OPC-534</b>	-	DC Power Cable, F10/M10, multi-charger BC-133	plug, CP-1, for AD54s up to 6 sets
<b>OPC-552</b>	-	Cloning Cable , M710, GM-110DSC, M700PRO	GMDSS, D sub 9 pin to 2 con 3.5mm
<b>OPC-562</b>	-	Mic Hanger Cable, M58, M59	W=white; B=blk
<b>OPC-566</b>	-	Control Cable, AT120, AT130 to M710, M700PRO	radio to tuner, shielded, 10 m
<b>OPC-567</b>	-	Tuner Cable pigtail, M710	-
<b>OPC-568</b>	-	DC Power Cable for M700PRO, M710, M710RT	-
<b>OPC-569</b>	-	DC Power pigtail, M710	-

<b>OPC-580</b>	-	Antenna Connector with cable, M58	-
<b>OPC-581</b>	-	Separation Cable for 707, 706MK2, 706MK2G	3.5 meter
<b>OPC-587</b>	-	Separation Cable for 707, 706MK2, 706MK2G	5 meter
<b>OPC-589</b>	-	Adapter Cable, modular mic to 8 pin mic, 706, 706MK2, 706MK2G, 2710H, 2100H	converts RJ45
<b>OPC-591</b>	-	Unit to Unit Cloning cable, F1000 series, A110, F320(s), F420(s)	transceiver to transceiver
<b>OPC-592</b>	-	Adapter Cable	8 pin modular to OPC 478
<b>OPC-596</b>	-	ACC plug cable, 706, 706MK2, 706MK2G	-
<b>OPC-598</b>	-	Accessory Extension Cable for 706, 706MK2, 706MK2G to AT180, PW1; Cloning Cable for F1010/F2010, F1020/F2020	7 meter, DIN 13 pin
<b>OPC-599</b>	-	Adapter Cable 13 pin ACC to 7 pin ACC for 706, 706MK2, 706MK2G	DIN 13 pin to Din 8 pin and DIN 7 pin
<b>OPC-600</b>	-	Remote Controller Cable, 2710H	3.5 meter
<b>OPC-601</b>	-	Remote Controller Cable, 2710H	7 meter
<b>OPC-607</b>	-	Front Panel Detachable Cable, F1000 series	3 meter
<b>OPC-608</b>	-	Front Panel Detachable Cable, F1000 series	8 meter
<b>OPC-609</b>	-	Front Panel Detachable Cable, F1000 series	1.9 meter
<b>OPC-617</b>	-	ACC Cable, F1000 series, F320(S), F420(S)	for terminal connection
<b>OPC-626</b>	-	Cloning Adapter Cable, OPC-478 to M1	-
<b>OPC-632</b>	-	DC Power Cable for M45, M59	-
<b>OPC-633</b>	-	Mic Cable M59	blk
<b>OPC-634</b>	-	Mic Cable M59	white
<b>OPC-639</b>	30 A	DC Power Cable with filter, 706	6 pin, 3 meter, blk or grn
<b>OPC-646</b>	-	Cloning Cable, 2710H, 207H	8 pin modular to D sub 9 pin
<b>OPC-647</b>	-	Mic extension cable, HM98	2.5 meter
<b>OPC-657</b>	-	DC Power Cable, 821H	1 meter

<b>OPC-662</b>	-	RS232C Cable, remote PC control, 746	-
<b>OPC-664</b>	-	Cloning Cable, M127	OPC 478 required
<b>OPC-671</b>	-	DC Power pigtail from M127	-
<b>OPC-718</b>	-	Remote Control Cable, (CI-V), PW1	-
<b>OPC-729</b>	-	Jumper, 729	-
<b>OPC-730</b>	-	Separation Cable, PW1	-
<b>OPC-742</b>	-	ACC 13 pin cable, 706MK2, 706MK2G	-
<b>OPC-743</b>	-	RS232C Cable, PC to PCR100, PCR1000	-
<b>OPC-750A</b>	-	Power Cable without mic hanger, M127	-
<b>OPC-752</b>	-	Headset Adapter for A4	-
<b>OPC-754</b>	-	DC Power pigtail from M45	-
<b>OPC-770</b>	-	RS232C Cable, remote PC control, R8500	-
<b>OPC-771</b>	-	M710RT Separation cable	5 meter
<b>OPC-772</b>	-	M710RT Separation cable	20 meter
<b>OPC-775</b>	-	DC Power Cable (remote controller) M710RT	-
<b>OPC-782</b>	-	Adapter Cable for Q7A, 4 conductor to separate 3.5mm and 2.5mm plugs	-
<b>OPC-821</b>	-	AVL Cable (automatic vehicle location)	-
<b>OPC-822</b>	-	AVL Cable (automatic vehicle location)	-
<b>OPC-826</b>	-	Interface Cable for AV-100 system	-
<b>OPC-837</b>	-	2800H remote controller cable	-
<b>OPC-869</b>	-	DC Power cable for R75	-
<b>OPC-871</b>	-	A110 headset adapter cable	-
<b>OPC-946</b>	-	DC POWER CABLE FOR M502	-
<b>OPC-967</b>	-	Headset adapter cable, A23, A5	-
<b>OPC-999</b>	-	HM127 extension cable	6 meter
<b>OPC-1000</b>	-	M502 HM127 remote cable	-
<b>DCHD-551D</b>	-	DC Power Cable for 551D, 701	6 meter