



# TECHNICAL SPECIFICATIONS

FREQUENCY RANGE	Band A: 0.55 — 1.6 Mc Band B: 1.6 — 4.8 Mc Band C: 4.8 — 14.5 Mc Band D: 10.5 — 31.0 Mc
OPERATION	AM, CW.
INTERMEDIATE FREQUENCY	455 Kc.
SENSITIVITY	$1\mu V$ for 20 db S/N ratio.
SELECTIVITY	30 db at $\pm 10$ Kc.
ANTENNA INPUT	50 - 75 ohms, balanced or unbalanced.
AUDIO OUTPUT	1.5 watts, 8 ohms impedance.
AUXILIARY CIRCUITS	Electrical Bandspread Automatic Noise Limiter AVC-MVC BFO "S"-meter
TUBE COMPLEMENT	<ul> <li>V1 6BA6 RF Amp</li> <li>V2 6BE6 Mixer</li> <li>V3 6BE6 HF Osc</li> <li>V4 6BA6 IF Amp</li> <li>V5 6AV6 DET, AVC, ANL &amp; 1st Audio Amp</li> <li>V6 6AV6 BFO</li> <li>V7 6AR5 Audio Output Amp</li> </ul>
POWER SOURCE	117 volts, $50/60$ cycles AC
POWER CONSUMPTION	50 VA
DIMENSIONS	13'' w x 7-4/5" h x 10" d.
NET WEIGHT	16 lbs.

- 2 -

## INSTALLATION

## POWER SOURCE

The receiver is designed to operate from a 117 volt, 50-60 cycle AC power source. DO NOT OPERATE FROM A DC SOURCE.

## SPEAKER CONNECTION

A two-terminal strip marked SPEAKER is provided at the rear of the receiver for connections to a PM speaker of 8 ohm impedance. Simply connect one lead to the ground terminal "O" and the other lead to the terminal designated  $8\Omega$ . The output power of the receiver is sufficient to drive a 4-12 inch speaker adequately.

#### HEADPHONES

A standard phone jack is provided on the front panel of the receiver for headphone reception. Low impedance (8-16 ohms) headphones are recommended for optimum results. Insertion of a phone plug into the jack automatically disconnects any speaker attached to the 8 ohm output terminal.

#### ANTENNAS

The terminals marked "A1", "A2", and "E" at the rear of the receiver are for antenna and ground connections. Either of the following two types of connections can be used to obtain satisfactory results.

## INVERTED "L" ANTENNA

The inverted "L" type of antenna will provide satisfactory performance over the entire tuning range. Simply short A2 and E with a jumper wire, and connect one end of the antenna wire to A1. For good reception, the antenna wire should be placed as high as possible and 50-100 feet long (see Fig. 1). In most cases, a wire connected from terminal "E" to a cold-water pipe will improve reception.

## DOUBLET ANTENNA

A doublet antenna will give excellent results, especially on amateur bands. A 75 ohms balanced transmission line should be used (as shown in Fig. 2). Since the doublet antenna provides optimum performance only at a given frequency, it should be cut to the length for the most often used band of frequencies. The overall length of a doublet antenna can be determined by using the following formula:

L (Length in feet) = 
$$\frac{468}{\text{Frequency in Megacycles}}$$

Since the doublet antenna displays directional properties broadside to its length, it should be installed in such a manner that maximum signal pickup can be realized.

When using either a balanced transmission line or a twisted pair, the leads connect to terminals "A1" and "A2" respectively, and the jumper wire between "A2" and "E" is removed. A height of 30-50 feet is recommended for good reception of weak signals.

-3-




FIGURE 1 Single Wire Antenna (inverted L)



#### FUSE


ŕ

A 1 amp fuse is located at the rear of the receiver. To remove it, unscrew the spring loaded cap. Replace only with one of a similar rating.

#### REMOTE SOCKET

A socket in the back of the receiver (REMOTE) allows simultaneous control of this receiver with a transmitter. An external switching device can be used so that the receiver will be inoperative during periods of transmission. In this case, the FUNCTION switch is placed in the REC position. The contacts of the external switch are attached by means of a standard AC plug so that the pins (see Fig. 3) will be connected when signal reception is desired. This plug is then inserted into the REMOTE socket. In this manner, plate voltage will be applied to the RF stages when the switch is closed and signal reception will be instantaneous.

For normal operating conditions with no external switching, place the FUNCTION switch in the REC position, thus providing plate voltage to the RF stages. To manually disable the receiver under these conditions, set the switch to the SEND position. In this position plate voltages to the RF stages are cut off. Returning the switch to REC will provide instantaneous signal reception.



Disconnect a jumper wire connected internally across REMOTE jack as shown in figure 3 when EXTERNAL SWITCH is used.

FIGURE 3

## **OPERATION**

Following is a brief description of the functions of the various controls on the front panel. Full appreciation as well as realization of the capabilities of the receiver can be expected only if you become familiar with each of the control functions.

#### FUNCTION

OFF — AC power is removed from the receiver. In all other positions AC power is applied.

REC — Heater and plate voltages are applied and the receiver is able to receive signals.

SEND — This position removes plate voltages to the RF stages, and thus makes the receiver inoperative (see previous section "Remote Socket").

BFO — This position places the beat frequency oscillator in operation for the reception of code signals (CW). The Bandspread control is used to adjust the pitch of the tone produced on CW signals.

#### BAND

This switch selects one of the four frequency bands available as follows:

 Band A:
 0.55 to
 1.6 Mc (550 to
 1600 Kc)

 Band B:
 1.60 to
 4.80 Mc

 Band C:
 4.80 to
 14.50 Mc

 Band D:
 10.50 to
 31.00 Mc

## MAIN TUNING

This control operates the tuning pointer over the main tuning dial. This dial has four calibrated frequency scales, one for each of the four tuning bands. All frequencies shown are in megacycles (Mc). Band A covers the Broadcast Band (550-1600 Kc). The other three bands cover the short-wave range of 1.6-31.00 Mc. The amateur radio bands are contained within the thicker sections of the white scale lines. Calibrations of these scales are correct only when the Bandspread dial is set to 100.

The main tuning dial also incorporates a 0 to 100 Logging Scale. This may be used to log any particular short-wave station by noting the position of the main tuning pointer on the Logging Scale and also noting the position of the Bandspread dial. A record may then be kept of both numbers so that both Bandspread and Main Tuning can be quickly set to receive any of the short-wave stations logged in this manner.

#### BANDSPREAD

This control is used to provide "fine tuning" over small sections of the main tuning scales. This is especially useful on short-wave frequencies where separation between stations is often very small or almost non-existent. When the Bandspread dial is set to 100, the main tuning pointer will indicate the true received frequency. Rotating the Bandspread dial towards 0 subtracts from the frequency indicated by the main tuning pointer.

The Bandspread control can be used in two ways — to provide bandspreading over the amateur bands, or as a fine tuning device to tune in commercial short-wave stations.

#### Bandspreading

Set the bandspread dial to 100 and the main tuning pointer to the extreme right-hand side (high-frequency end) of the amateur band which you wish to tune. Rotating the BANDSPREAD control towards 0 will now tune over the amateur band selected.

#### Fine Tuning

Set the bandspread dial to 50 and use the tuning control to set the main pointer to the approximate frequency of the desired station. Now use the bandspread control to locate the station by tuning in either direction — from 50 to 100 and 50 to 0.

#### ANTENNA TRIMMER

The ANT TRIM control, adjustable from the front panel, acts as a compensating capacitor to permit optimum matching of the receiver to the antenna at all frequencies. Initially, the control should be set to its mid-position( the dot on the front surface of the knob at 12 o'clock position). The control should always be adjusted for maximum background noise. Each setting will be good only over a limited range of frequencies. The trimmer should therefore always be readjusted after tuning to the general area where the expected signal is to be found.

#### AF GAIN

This adjusts the audio output level in the speaker or headphones.

#### AVC-MVC

This switch, when set to the AVC position, places the automatic volume control circuit in operation, and provides effective compensation for fading and maintains relatively constant output on either strong or weak signals. The MVC position makes the AVC circuit inoperative and should be used only when added sensitivity is required during the reception of weak signals. If MVC is used with strong signals, overloading and distortion will occur. Note that the S-meter is also inoperative in the MVC position.

#### ANL

١

This switch should be normally set at "OFF". If excessive spurious noises (such as those caused by auto ignition) interfere with reception, turn the switch to "ON", and the automatic noise limiter circuit will be in operation. This control should be used only when necessary, since it tends to reduce the overall efficiency of the receiver.

#### S-METER

This meter, calibrated in "S" units from 1 to 9, provides a means of measuring the relative strength of incoming signals. It is operative only when the MVC-AVC switch is in the AVC position. An adjustment control at the rear of the receiver permits calibration of the meter, as follows: Remove antenna so that there is no signal input to the receiver and adjust the "S" meter Adjust control for a zero reading on the meter.

NOTE: Initial application of AC power to the receiver (from OFF to REC) may cause the pointer to swing to the extreme right (full-scale) position. After warm-up, however, the pointer will return to its normal operating position.

- 6 -

## OPERATING INSTRUCTIONS

The following chart indicates the initial settings of the various controls for each type of operation. Thereafter, the degree of strength or clarity with which signals will be received will depend upon proper readjustment of the various controls.

CONTROL	AM OPERATION	CW OPERATION	
FUNCTION	REC	BFO	
BAND	Set for band which includes desired range of frequencies	Set for band which includes desired range of frequencies	
ANT TRIM	12 o'clock position	12 o'clock position	
AVC-MVC	AVC	MVC	
ANL	OFF	OFF	
AF GAIN	Adjust for desired audio output	Adjust for desired audio output	

## **INITIAL CONTROL SETTINGS**

#### AM OPERATION

For the reception of broadcast stations, short-wave listening, etc., place all controls in the positions indicated in the Initial Control Settings chart. Tune in station, using Main and Bandspread tuning controls as indicated in a previous section describing the functions of MAIN TUNING and BAND SPREAD controls. Adjust ANT TRIM for highest "S" meter reading on signal or for maximum background noise. If excessive spurious noises such as those caused by auto ignition make reception difficult, place the ANL OFF switch to the ON position.

#### CW OPERATION

The control settings required for the reception of CW (code signals) are the same as for AM except that the Function switch is now set to BFO to produce the necessary tone. When tuned to the exact frequency of the CW signal, a "zero beat" or "null" will be heard. Detuning slightly in either direction (higher or lower in frequency) will produce a "beat" note. The Bandspread control can therefore be used to vary the tone and provide clearest reception of the desired CW signal.

## SHORT-WAVE LISTENING

On the short-wave frequencies are to be found radio stations transmitting from all over the world. Many of these stations provide English-language broadcasts. The frequencies on which the majority of short-wave broadcast stations operate are found in the two upper bands of your receiver (4.8 to 14.5 megacycles and 10.5 to 31 megacycles). A characteristic of short-wave is that reception varies with the time of day, the season of the year and with weather conditions. In order to know just when and where to listen, a listening chart which lists English language broadcast stations best heard in North America is included in this manual.

"Better Shortwave Reception" by William I. Orr (available from Lafayette Radio as BK1032) is recommended to the short-wave listener and amateur alike. It provides an introduction to shortwave radio for the beginner and presents some of the practical aspects and helpful advice for the more experienced listener.

-7-

# Listen to the Voices of the World

.

-

#### ENGLISH LANGUAGE SHORT-WAVE BROADCAST STATIONS BEST HEARD IN WESTERN NORTH AMERICA

Readers in the western part of the United States and Canada will find the following list of "Best Heard" stations helpful in tuning the short-wave broadcast bands. The left-hand column lists the hour in Pacific Standard Time for broadcasts in English only; in the middle column, the city and country from which the broadcasts originate are listed with the name the station uses for identification in parentheses; and on the right are the frequencies and call letters for stations using them during their broadcasts.

CITY, COUNTRY (NAME)

TIME (PST)

1. 1. 4. 7

•

FREQUENCIES (kc.)

1

TIME (PST)	CITY, COUNTRY (NAME)	FREQUENCIES (kc.)
10:30- 2:45 a.m.	Wellington, New Zealand (Radio New Zealand)	9540 (ZL2), 6080 (ZL7)
11:30-11:45 p.m.	Papeete, Tahiti (The Voice of France in the Pacific)	6135
12:00- 1:15 a.m.	Manila, Philippines (Call of the Orient)	17805, 15300, 11855, 9730

#### NEWS BROADCASTS FOR WESTERN NORTH AMERICA

		11855, 9730		NEWS BROADCASTS FOR WESTERN NO	DRTH AMERICA
6:00- 8:00 a.m.	Manila, Philippines (The Call of the Orient)	9710, 4910			
6:30-7:30 a.m.	Djakarta, Indonesia (The Voice of Indonesia)	11770 (VLC11)	The following	listing of news broadcasts has been prepared for the	ose readers living in the Western U
7:15- 8:15 a.m.	Melbourne, Australia (Radio Australia)	15155		Times are given in Pacific Standard Time and	
8:00- 8:15 a.m.	Stockholm, Sweden (Radio Sweden)	17700	Diaves and Canada	. I this are given in I ache Dianitarit This and	the frequencies in knocycles.
10:00-1:00 p.m.	London, England (North American Service)	17700 15910			
1:00- 2:15 p.m.	London, England (General Overseas Service)	17700, 15310 15310, 11930	TIME (DET)	CITY AND COUNTRY	ERECTIENCIES (h. )
2:15- 3:15 p.m.	London, England (General Overseas Service)	15310, 11930	TIME (PST)	CITE AND COUNTRE	FREQUENCIES (kc.)
3:00-3:30 p.m.	Tokyo, Japan (Radio Japan)	17825 (JOA22),	1.15	Djakarta, Indonesia	0710 4010
		15235 (JOB9)	6:45 a.m.	Djakarta, indonesia	9710, 4910
3:00-7:00 p.m.	London, England (General Overseas Service)	11930, 9825	7:00 a.m.	Manila, Philippines	11855,9730
3:00-10:00 p.m.	Moscow, USSR (Radio Moscow)	17865, 15140	7:30 a.m.	Melbourne, Australia	11770
4:30- 4:50 p.m.	Tokyo, Japan (Radio Japan)	15235 (JOB9),	8:00 a.m.	Stockholm, Sweden	15155
		11705 (JOA4)	9:00 a.m.	London, England	17700
4:55- 5:45 p.m.	Montreal, Canada (Radio Canada)	15190 (CKCX),	12:00 Noon	London, England	17700
		11720 (CHOL)	3:00 p.m.	London, England	15310, 11930, 9825
5:00- 7:30 p.m.	Cape Haitien, Haiti (The Evangelistic Voice) - no broad-		3:00 p.m.	Tokyo, Japan	17825, 15235
5.00- 7.50 p.m.	casts on Wednesday and Thursday	15400, 9656	3:00 p.m.	Moscow, USSR	17865, 15140
5:30-7:15 p.m.		11965 (HER5),	4:00 p.m.	Moscow, USSR	17865, 15140
5.30° 7.15 p.m.	Derne, Owndernand (Section 12.02 Constant)	9535 (HER4),	4:30 p.m.	Deihi, India	17720, 15160
		6165 (HER3)	4:30 p.m.	Tokyo, Japan	15235, 11705
(.00 9.00	Quito, Ecuador (HCJB - The Voice of the Andes) - no	0100 (112110)	5:00 p.m.	Montreal, Canada	15190, 11720
6:00- 9:00 p.m.	broadcast on Monday	15115, 11915, 9745	5:00 p.m.	Moscow, USSR	17865, 15140
	Rome, Italy (Italian Broadcasting & TV System)	9575, 6010	5:00 p.m.	Karachi, Pakistan	17750, 15335
6:25- 6:45 p.m.	Cologne, Germany (The Voice of Germany)	11795, 9640	5:30 p.m.	Montreal, Canada	15190, 11720
6:30- 6:40 p.m.	Cologne, Germany (The voice of Germany)	9525, 6025	5:35 p.m.	Berne, Switzerland	11865, 9535, 6165
6:30- 7:00 p.m.	Warsaw, Poland (Radio Warsaw)	9323, 0020 11050 0500		London, England	11930, 9825
6:30- 7:10 p.m.	Hilversum, Holland (Radio Netherlands)	11950, 9590	6:00 p.m.	Moscow, USSR	17865, 15140
6:30- 8:00 p.m.	Hilversum, Holland (The Happy Station) - special pro-		6:00 p.m.		9575, 6010
	gram on Sundays only	11950, 9590	6:25 p.m.	Rome, Italy	11795, 9640
6:45- 7:00 p.m.			6:30 p.m.	Cologne, Germany Warsaw, Poland	
	Africa)	11970, 9625	6:30 p.m.	Warsaw, Poland Hilversum, Holland (not on Sunday)	9525, 6025
6:55-7:35 p.m.	Montreal, Canada (Radio Canada)	11945 (CKNK),	6:30 p.m.		11950, 9590
		9585 (CKLP)	6:30 p.m.	Delhi, India	17830, 15160, 11710
7:00-7:30 p.m.	Bucharest, Romania (Bucharest Calling)	11937, 9570	6:45 p.m.	Brazzaville, French Equatorial Africa	11970, 9625
7:00- 7:30 p.m.	Peking, China (Radio Peking)	17745, 17720,	7:00 p.m.	Moscow, USSR	17865, 15140
•	-	15350, 15118	7:00 p.m.	Montreal, Canada	11945, 9585
7:00-8:30 p.m.	Prague, Czechoslovakia (Radio Prague)	9585, 6170,	7:00 p.m.	Bucharest, Romania	11937, 9570
		6105, 6055	7:00 p.m.	Peking, China	17745, 17720, 15350, 15118
7:00-8:45 p.m.	Guatemala City, Guatemala (TGNA)	9668, 5952	7:00 p.m.	Prague, Czechoslovakia	9585, 6170, 6105, 6055
7:15- 8:00 p.m.	Madrid Spain (The Voice of Spain)	9360, 6130	7:15 p.m.	Madrid, Spain	9360, 6130
7:30- 8:00 p.m.	Copenhagen, Denmark (The Voice of Denmark) - no Eng-		7:30 p.m.	Copenhagen, Denmark (only Mondays)	9520
	lish on Sundays	9520 (OZF)	7:30 p.m.	Tokyo, Japan	15235, 11705
.7:30- 8:00 p.m.	Tokyo, Japan (Radio Japan)	15235 (JOB9),	8:00 p.m.	Moscow, USSR	17865, 15140
		11705 (JOA4)	8:00 p.m.	Oslo, Norway (only Sundays)	15175, 11735, 9540
8:00- 8:20 p.m.	Oslo, Norway (Radio Norway) - on Sundays only	15175, 11735, 9540	8:00 p.m.	Sofia, Bulgaria	9700
8:00- 8:30 p.m.	Budapest, Hungary (Radio Budapest)	11910, 9833	8:15 p.m.	Madrid, Spain 🖌 🖌	9360, 6130
8:00- 8:30 p.m.	Sofo Dulgaria (Sofo Calling)	9700	8:20 p.m.	Berne, Switzerland	11865, 9535
	San Jose, Costa Rica (TIFC – The Lighthouse of the	2.00	8:30 p.m.	Bucharest, Romania	11937, 9570
8:00-9:00 p.m.	Caribbean)	9647, 6037	9:00 p.m.	Taipei, Taiwan	15225, 11815
	Berne, Switzerland (Switzerland Calling)	11865 (HER5)	9:00 p.m.	Moscow, USSR	17865, 15140
8:15- 9:00 p.m.	Derne, Switzenand (Switzenand Caning)	9535 (HER4)	9:00 p.m.	Stockholm, Sweden	9620
	MALL ON CONTRACTOR AND A CONTRACTOR	9360, 6130	9:15 p.m.	Brazzaville, French Equatorial Africa	11970
8:15- 9:00 p.m.	Madrid, Spain (The Voice of Spain)	11937, 9570	9:15 p.m.	Madrid, Spain	9360, 6130
8:30- 9:00 p.m.	Bucharest, Romania (Bucharest Calling)	15225, 11815	9:30 p.m.	Warsaw, Poland	9525, 6025
9:00- 9:30 p.m.	Taipei, Taiwan (The Voice of Free China)		10:30 p.m.	Taipei, Taiwan	15225, 11815
°:00- 9:30 p.m.	Stockholm, Sweden (Radio Sweden)	9620		Wellington, New Zealand	9540, 6080
9:15- 9:30 p.m.	Brazzaville, FEA (Radio Brazzaville, French Equatorial	11050	11:30 p.m.	Papeete, Tahiti	6135
	Africa)	11970	11:30 p.m.	Wellington, New Zealand (not on Sunday)	6135 9540, 6080
9:15-10:00 p.m.	Madrid, Spain (The Voice of Spain)	9360, 6130	12:30 a.m.		
9:30-10:00 p.m.	Warsaw, Poland (Radio Warsaw)	9525, 6025	1:00 a.m.	Manila, Philippines	11855, 9730
10:30-11:00 p.m.	Taipei, Taiwan (The Voice of Free China)	15225, 11815	2:30 a.m.	Wellington, New Zealaño	9540, 6080
	-				

REPRINTED FROM POPULAR ELECTRONICS BY PERMISSION

#### ENGLISH LANGUAGE SHORT-WAVE BROADCAST STATIONS BEST HEARD IN EASTERN NORTH AMERICA

	ENGLISH LANGUAGE	SHORT-WAVE BROADCAST ST	ATIONS BEST HEA	ARD IN EASTERN NORTH AN	NERICA
TIME (EST)	CITY, COUNTRY (NAME)	FREQUENCIES (kc.)			
6:00- 6:30 a.m.	Warsaw, Poland (Radio Warsaw)	17000, 15120		NEWS BROADCASTS	FOR EASTERN NORTH AMERICA
7:00- 7:15 a.m.	Helsinki, Finland (Finland Calling) - no English on Sun-	17000, 13120			
	days and holidays	17798, 15190	TIME (EST)	CITY AND COUNTRY	FREQUENCIES (kc.)
7:15- 8:15 a.m.	Warsaw, Poland (Radio Warsaw)	17800, 15120	5:30 a.m.	Wellington, New Zealand	9540, 6080
7:15- 8:45 a.m.	Melbourne, Australia (Radio Australia)	11770, (VLA11)	6:00 a.m.	Warsaw, Poland	17800, 15120
8:00- 9:30 a.m.	Cape Haitien, Haiti (The Evangelistic Voice) - no broad-		6:15 a.m.	Djakarta, Indonesia	9710
A 16 A 16	cast on Thursdays	15390, 9638	7:00 a.m.	Helsinki, Finland	17798, 15190
8:15- 8:45 a.m.	Stockholm, Sweden (Radio Sweden)	17840	7:15 a.m.	Warsaw, Poland	17800, 15120
10:00-12:15 p.m.	London, England (North American Service)	17700	7:15 a.m. 7:45 a.m.	Melbourne, Australia Warsaw, Poland	11770
1:00- 4:00 p.m.	London, England (North American Service)	17700	8:15 a.m.	Stockholm, Sweden	17800, 15120 17840
4:00- 5:15 p.m.	London, England (General Overseas Service)	17700, 15310, 9008	8:15 a.m.	Melbourne, Australia	11770
4:15- 4:45 p.m.	Hilversum, Holland (Radio Netherlands) – no English on Sundays	15365, 11950	8:45 a.m.	Lisbon, Portugal	21495, 17895
4:30- 5:20 p.m.	Jerusalem, Israel (The Voice of Zion)	9008	12:00 Noon	London, England	17700
5:00- 5:30 p.m.	Port-au-Prince, Haiti (Radio Commerce)—on Sundays only	9482 (4VC)	12:15 p.m.	Lisbon, Portugal	21700, 17895
5:15- 6:15 p.m.	London, England (General Overseas Service)	15310. 11930	12:30 p.m. 3:00 p.m.	Athens, Graece	17775, 15345
6:00- 6:30 p.m.	Tokyo, Japan (Radio Japan)	17825 (JOA22), 15235 (JOB9)	3:15 p.m.	London, England Teheran, Iran	17700 15100
6:00-10:00 p.m.	London, England (General Overseas Service)	11930, 9825	3:30 p.m.	Damascus, Syria	17845
6:00- 1:00 a.m.	Moscow, USSR (Radio Moscow)	11937, 11890, 11845,	4:15 p.m.	Hilversum, Holland	15365, 11950
0.000 1.00 a.m.	Moscow, Coort (Nadio Moscolo)	11825, 11805, 11740,	4:30 p.m.	Jerusalem, Israel	9008
		11700, 9700, 9665	5:15 p.m.	Belgrade, Yugoslavia	6100
6:15-7:00 p.m.	Ankara, Turkey (Radio Ankara)	9515	6:00 p.m.	London, England	15310, 11930, 9825
7:15- 7:35 p.m.	Rome, Italy (Italian Broadcasting and Television System)	9575, 6010	6:00 p.m.	Tokyo, Japan	17825, 15235
7:30- 7:50 p.m.	Tokyo, Japan (Radio Japan)	15235, (JOB9), 11705 (JOA4)	6:00 p.m. 6:15 p.m.	Moscow, USSR	11937, 11890, 11845, 11825, 11805, 11740, 11700, 9700, 9645
7:30- 8:00 p.m.	Budapest, Hungary (Radio Budapest)	11910, 9833	6:30 p.m.	Ankara, Turkey Caracas, Venezuela	9515 4970
7:30- 8:00 p.m.	Prague, Czechoslovakia (Radio Prague)	9585, 6170, 6105, 6055		(Monday-Friday)	1//0
7:30- 8:30 p.m.	Warsaw, Poland (Radio Warsaw)	9525, 6025	7:00 p.m.	Moscow, USSR	11937, 11890, 11845, 11825, 11805, 11740, 11700, 9700, 9665
7:55- 8:45 p.m,	Montreal, Canada (Radio Canada)	15190 (CKCX), 11720	7:15 p.m.	Rome, Italy	9575, 6010
		(CHOL)	7:30 p.m.	Tokyo, Japan	15235, 11705
8:00- 8:30 p.m.	Sofia, Bulgaria (Sofia Calling)	9700	7:30 p.m.	Prague, Czechoslovakia	9585, 6170, 6105, 6055
8:00- 9:30 p.m.	Stockholm, Sweden (Radio Sweden)	9620	7:30 p.m. 8:00 p.m.	Warsaw, Poland Moscow, USSR	9525, 6025
8:00-10:30 p.m.	Cape Haitien, Haiti (The Evangelistic Voice) - no broad-	15400 0050 0105	8:00 p.m.	Montreal, Canada	11890, 11845, 11825, 11805, 11740, 11700, 9665 15190, 11720
	casts on Wednesdays and Thursdays	15400, 9656, 6105	8:00 p.m.	Wawsaw, Poland	9525, 6025
	Brazzaville, French Equatorial Africa (Radio Brazzaville)	11970, 9625	8:00 p.m.	Sofia, Bulgaria	9700
8:30-10:15 p.m.	Berne, Switzerland (Switzerland Calling)	11865 (HER5), 9535 (HER4),	8:15 p.m.	Stockholm, Sweden	9620
9:00- 9:20 p.m.	Oslo, Norway (Radio Norway) — on Sundays only	6165 (HER3) 15175, 11735, 9540	8:15 p.m.	Brazzaville, French	
9:00- 9:30 p.m.	Copenhagen, Denmark (The Voice of Denmark) — no Eng-	15175, 11755, 9040	8:30 p.m.	Equatorial Africa Montreal, Canada	11970, 9625
	lish on Sundays	9520 (OZF)	8:30 p.m.	Paramaribo, Surinam	15190, 11720 15407, 4752
9:00-12:00 p.m.				(Mondays only)	12676, 10661
	broadcasts on Mondays	15115, 11915, 9745	8:35 p.m.	Berne, Switzerland	11865, 9535, 6165
9:25- 9:45 p.m.	Rome, Italy (Italian Broadcasting and Television System)	9575, 6010	9:00 p.m.	Stockholm, Sweden	9620
9:30-9:40 p.m.	Cologne, Germany (The Voice of Germany)	11795, 9640	9:00 p.m.	Oslo, Norway (Sundays only)	15175, 11735, 9540
9:30-10:00 p.m.	Warsaw, Poland (Radio Warsaw)	9525, 6025	9:00 p.m.	Copenhagen, Denmark	9520
9:30-10:10 p.m.	Hilversum, Holland (Radio Netherlands)	11950, 9590		(Mondays only)	/510
9:30-11:00 p.m.	Hilversum, Holland (The Happy Station) - special pro-		9:00 p.m.	Moscow, USSR	11890, 11845, 11825, 11805, 11740, 11700, 9700, 9665
	gram on Sundays only	11950, 9590	9:25 p.m.	Rome, Italy	.9575, 6010
9:30-11:00 p.m.	Port-au-Prince, Haiti (Radio Haiti) - on Thursdays only	6192 (4VHW)	9:30 p.m.	Cologne, Germany	11795, 9640
9:45-10:00 p.m.	Brazzaville, French Equatorial Africa (Radio Brazzaville)	11970, 9625	9:30 p.m. 9:30 p.m.	Warsaw, Poland Hilversum, Holland	9525, 6025
9:55-10:35 p.m.	Montreal, Canada (Radio Canada)	11945 (CKNK), 9585 (CKLP)	7.00 p.m.	(not on Sundays)	11950, 9590
10:00-10:30 p.m.	Bucharest, Romania (Bucharest Calling)	11937, 9570	9:45 p.m.	Brazzaville, French	
10:00-11:00 p.m.	Prague, Czechoslovakia (Radio Prague)	9585, 6170, 6105, 6055		Equatorial Africa	11970, 9625
10:00-11:45 p.m.	Guatemala City, Guatemala (TGNA)	9668, 5952	10:00 p.m.	Montreal, Canada	11945, 9585
10:15-11:00 p.m.	Madrid, Spain (The Voice of Spain)	9360, 6130	10:00 p.m.	Moscow, USSR	11890, 11845, 11825, 11805, 11740, 11700, 9665
10:30-11:00 p.m.	Copenhagen, Denmark (The Voice of Denmark) - no Eng-	0500 (087)	10:00 p.m. 10:15 p.m.	Bucharest, Romania Madrid, Spain	11937, 9570
11.00.11.10	lish on Sundays	9520 (OZF)	10:30 p.m.	Copenhagen, Denmark	9360, 6130 9520
11:00-11:30 p.m.	Budapest, Hungary (Radio Budapest)	11910, 9833	10.00 p.m.	(Monday only)	7320
11:00-11:30 p.m.	Sofia, Bulgaria (Sofia Calling)	9700	11:00 p.m.	Sofia, Bulgaria	9700
11:00-12:00 p.m.	San Jose, Costa Rica' (TIFC – The Lighthouse of the Carib- bean)	9647, 6037	11:00 p.m.	Moscow, USSR	11890, 11845, 11825, 11805, 11740, 11700
11:15-12:00 p.m.		11865 (HER5), 9535 (HER4)	11:15 p.m.	Madrid, Spain	9360, 6130
•			11:20 p.m. 11:30 p.m.	Berne, Switzerland	11845, 9535
11:15-12:00 p.m.	Madrid, Spain (The Voice of Spain)	9360, 6130	12:00 Midnight	Bucharest, Romania Stockholm, Sweden	11937, 9570
11:30-12:00 p.m.	Bucharest, Romania (Bucharest Calling)	11937, 9570	12:00 Midnight	Moscow, USSR	9620 11860, 11845,~11805, 11740, 11700, 9685, 9665, 9610
12:00-12:30 a.m.	Stockholm, Sweden (Radio Sweden).	9620	12:15 a.m.	Madrid, Spain	9360, 6130
12:15-12:30 a.m. 12:15- 1:00 a.m.	Brazzaville, French Equatorial Africa (Radio Brazzaville)	11970	12:15 a.m.	Brazzaville, French	·
· · · · · ·	Madrid, Spain (The Voice of Spain)	9360, 6130		Equatorial Africa	11970
12:30- 1:00 a.m.	Warsaw, Poland (Radio Warsaw)	9525, 6025	12:30 a.m.	Warsaw, Poland	9525, 6025

1

#### SERVICE

This section contains information which will aid qualified service personnel in the servicing and alignment of your receiver.

## CHASSIS REMOVAL

The top cover is held by four screws — two each side. The bottom cover is held by six screws on the underside of the unit.

## **IF ALIGNMENT**

EQUIPMENT REQUIRED:

AC Voltmeter Calibrated RF Signal Generator Non-Metallic Alignment Tools


Refer to the diagram which shows the location of IF adjustment points.

- 1. Connect a loudspeaker to the output terminals. Remove the oscillator V3, 6BE6, from its socket. WARNING: Make sure the tube retaining clip does not slip down and cause a short-circuit on the underside of the chassis.
- 2. Set the receiver controls as follows:

FUNCTION switch on REC AF GAIN control to maximum MVC-AVC switch on MVC ANL off Band to A Main Tuning pointer to 1.6 Mc.

- 3. Connect the voltmeter (3 volt AC range) across the speaker terminals.
- 4. Connect the signal generator between pin 7 of V2 socket (6BE6 mixer tube) and ground (chassis).
- 5. Set the signal generator at 455 Kc and modulate it with either 400 or 1000 cycles (30%).
- 6. Adjust the secondary and primary of IF transformers T2 and T1. Follow the order given secondary first, then primary in each case. Topside adjustments are secondaries, bottom of chassis adjustments are primaries.

During alignment, lower the generator output progressively to prevent overloading. Repeat alignment until no further improvement is noted.



IF ALIGNMENT - TOPSIDE ADJUSTMENT POINTS

## **BFO ADJUSTMENT**

- 1. All receiver controls should be set as in the IF alignment with the exception of the following: FUNCTION switch to BFO Reduce AF GAIN
- 2. Set the generator to 455 Kc, unmodulated RF.
- 3. Adjust the BFO coil T3 until a zero beat is heard (also accompanied by a minimum reading on the voltmeter. Note that the minimum point will be bracketed by a peak on each side).
- 4. Switch off and disconnect AC power to the receiver. Also, remove connections from the generator.
- 5 Replace V3, 6BE6 oscillator.
- $\kappa$  Replace top and bottom covers on the receiver.

## **RF ALIGNMENT**

- 1. Switch receiver on and allow it to warm up for approximately 15 minutes.
- 2 Using a short jumper wire, connect antenna terminals A2 and E together.
- 3 Connect AC voltmeter (3 volt range) and loudspeaker across speaker terminals.
- $\div$  Connect the modulated output of the RF signal generator to antenna terminals A1 and E.
- 5 Rotate the ANT TRIM control until the capacitor plates are half meshed. If the indicator dot on control knob is not at the 12 o'clock position, loosen set screw, place knob in this position and tighten screw again (without disturbing position of capacitor plates). Do not change control from the 12 o'clock position until alignment is completed.
- 6 Set all receiver controls as for IF alignment. Set BANDSPREAD dial to 100 and make sure FUNCTION switch is on REC.
- arry out alignment as indicated in the chart. Use the diagram provided which shows RF

NOTE: Lower generator output progressively to prevent overloading as circuits come into line.

IG

NG


## RF ALIGNMENT CHART

STEP     SAND     GENERATOR     TUNING     ADJUST     REMARKS       1     A     .6 Mc (600 Kc)     .6 Mc     CO5 (Osc)*     Adjust for peak reading on voltmeter       2     A     1.4 Mc (1400 Kc)     1.4 Mc     CO4 (Osc)     Adjust for peak       3     A     1.4 Mc (1400 Kc)     1.4 Mc     CO4 (Osc)     Adjust for peak       4     B     2.0 Mc     2.0 Mc     LO3 (Osc)     Reding on voltmeter       5     B     4.0 Mc     4.0 Mc     CO3 (Osc)     Reding on voltmeter       6     B     2.0 Mc     2.0 Mc     LM3 (RF)     Adjust for peak       7     B     4.0 Mc     4.0 Mc     CM3 (RF)     Adjust for peak       7     B     4.0 Mc     4.0 Mc     CM3 (RF)     Adjust for peak       7     B     4.0 Mc     4.0 Mc     CM3 (RF)     Adjust for peak       7     B     2.0 Mc     2.0 Mc     LM3 (RF)     Adjust for peak       8     B     2.0 Mc     2.0 Mc     LO3 (Osc)     Reading on voltmeter       9     C     5.0 Mc     5.0 Mc     LO2 (Osc)     Reading on voltmeter       10     C     14.0 Mc     14.0 Mc     CM2 (RF)     Adjust for peak       12     C     14.0 Mc     <			SIGNAL	MAIN			
2       A       1,4 Mc (1400 Kc)       1,4 Mc       CO4 (Osc)       reading on voltmeter         Repeat steps 1 & 2 until calibration is correct at both ends of scale (.6 and 1.4 Mc)       3       A       1,4 Mc (1400 Kc)       1.4 Mc       CM4 (RF)       Adjust for peak         4       B       2,0 Mc       2,0 Mc       LO3 (Osc)       reading on voltmeter         5       B       4,0 Mc       4,0 Mc       CO3 (Osc)       reading on voltmeter         6       B       2,0 Mc       2,0 Mc       LM3 (RF)       Adjust for peak         7       B       4,0 Mc       4,0 Mc       CM3 (RF)       Adjust for peak         7       B       2,0 Mc       2,0 Mc       LA3 (Ant)       Adjust for peak         8       B       2,0 Mc       2,0 Mc       LO2 (Osc)       reading on voltmeter         7       B       4,0 Mc       14,0 Mc       CO2 (Osc)       Repeat steps 6 & 7 until calibration is correct at both ends of the scale (2,0 and 4,0 Mc)         8       B       2,0 Mc       5,0 Mc       LO2 (Osc)       reading on voltmeter         10       C       14,0 Mc       14,0 Mc       CO2 (Osc)       reading on voltmeter         11       C       5,0 Mc       5,0 Mc       LM2 (RF)       Ad	STEP	BAND SWITCH			ADJUST	REMARKS	
2       A       1,4 Mc (1400 Kc)       1,4 Mc       CO4 (Osc)         Repeat steps 1 & 2 until calibration is correct at both ends of scale (.6 and 1.4 Mc)         3       A       1.4 Mc (1400 Kc)       1.4 Mc       CM4 (RF)       Adjust for peak         4       B       2.0 Mc       2.0 Mc       CO3 (Osc)       reading on voltmeter         5       B       4.0 Mc       4.0 Mc       CO3 (Osc)       reading on voltmeter         6       B       2.0 Mc       2.0 Mc       LM3 (RF)       Adjust for peak         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak         7       B       2.0 Mc       2.0 Mc       LO2 (Osc)       Adjust for peak         8       B       2.0 Mc       5.0 Mc       LO2 (Osc)       reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak         12       C       14.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak         12       C       14.0 Mc <td< td=""><td>1</td><td>A</td><td>.6 Mc (600 Kc)</td><td>.6 Mc</td><td>CO5 (Osc)*</td><td>-</td></td<>	1	A	.6 Mc (600 Kc)	.6 Mc	CO5 (Osc)*	-	
3       A       1.4 Mc (1400 Kc)       1.4 Mc       CM4 (RF)       Adjust for peak         4       B       2.0 Mc       2.0 Mc       LO3 (Osc)       reading on voltmeter         5       B       4.0 Mc       4.0 Mc       CO3 (Osc)       reading on voltmeter         6       B       2.0 Mc       2.0 Mc       LM3 (RF)       Adjust for peak         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak         7       B       2.0 Mc       2.0 Mc       LA3 (Ant)       Adjust for peak         8       B       2.0 Mc       5.0 Mc       LO2 (Osc)       reading on voltmeter         9       C       5.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak         11       C       5.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak         12	.Ż	A	1.4 Mc (1400 Kc)	1.4 Mc	CO4 (Osc)	reading on voltmeter	
4       B       2.0 Mc       2.0 Mc       LO3 (Osc)       Adjust for peak         5       B       4.0 Mc       4.0 Mc       CO3 (Osc)       reading on voltmeter         5       B       4.0 Mc       4.0 Mc       CO3 (Osc)       Adjust for peak         6       B       2.0 Mc       2.0 Mc       LM3 (RF)       Adjust for peak         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak         7       B       4.0 Mc       2.0 Mc       LM3 (RF)       Adjust for peak         8       B       2.0 Mc       2.0 Mc       LA3 (Ant)       Adjust for peak         9       C       5.0 Mc       5.0 Mc       LO2 (Osc)       reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)       reading on voltmeter         11       C       5.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak         13       C       5.0 Mc       5.0 Mc       LA2 (Ant)       Adjust for peak         14 <td>Re</td> <td>epeat steps 1 &amp;</td> <td>2 until calibration i</td> <td>s correct at</td> <td>both ends of sc</td> <td>ale (.6 and 1.4 Mc)</td>	Re	epeat steps 1 &	2 until calibration i	s correct at	both ends of sc	ale (.6 and 1.4 Mc)	
5       B       4.0 Mc       4.0 Mc       CO3 (Osc)       reading on voltmeter         5       B       4.0 Mc       4.0 Mc       CO3 (Osc)       reading on voltmeter         Repeat steps 4 & 5 until calibration is correct at both ends of the scale (2.0 and 4.0 Mc)       6       B       2.0 Mc       2.0 Mc       LM3 (RF)       Adjust for peak reading on voltmeter         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak reading on voltmeter         8       B       2.0 Mc       2.0 Mc       LA3 (Ant)       Adjust for peak reading on voltmeter         9       C       5.0 Mc       5.0 Mc       LO2 (Osc)       reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)       reading on voltmeter         11       C       5.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak reading on voltmeter         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         13       C       5.0 Mc       5.0 Mc       LA2 (Ant)       Adjust for peak reading on voltmeter         14       D       12.0 Mc       12.0 Mc       LO1 (Osc)       reading on voltmeter         15       D       26.0 Mc       26.0 Mc <td>3</td> <td>A</td> <td>1.4 Mc (1400 Kc)</td> <td>1.4 Mc</td> <td>CM4 (RF)</td> <td>Adjust for peak</td>	3	A	1.4 Mc (1400 Kc)	1.4 Mc	CM4 (RF)	Adjust for peak	
5       B       4.0 Mc       4.0 Mc       CO3 (Osc)         Repeat steps 4 & 5 until calibration is correct at both ends of the scale (2.0 and 4.0 Mc)         6       B       2.0 Mc       2.0 Mc       LM3 (RF)       Adjust for peak reading on voltmeter         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak reading on voltmeter         8       B       2.0 Mc       2.0 Mc       LA3 (Ant)       Adjust for peak reading on voltmeter         9       C       5.0 Mc       5.0 Mc       LO2 (Osc)       reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)       reading on voltmeter         11       C       5.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak reading on voltmeter         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         13       C       5.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak reading on voltmeter         14       D       12.0 Mc       12.0 Mc       LO1 (Osc)       reading on voltmeter         14       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak reading on voltmeter         16       D       12.0 Mc       12.0 Mc <td>4</td> <td>В</td> <td>2.0 Mc</td> <td>2.0 Mc</td> <td>LO3 (Osc)</td> <td>reading on voltmeter</td>	4	В	2.0 Mc	2.0 Mc	LO3 (Osc)	reading on voltmeter	
6       B       2.0 Mc       2.0 Mc       LM3 (RF)       Adjust for peak reading on voltmeter         7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Adjust for peak reading on voltmeter         Repeat steps 6 & 7 until calibration is correct at both ends of the scale (2.0 and 4.0 Mc)       B       2.0 Mc       2.0 Mc       LA3 (Ant)       Adjust for peak         9       C       5.0 Mc       5.0 Mc       LO2 (Osc)       reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)       reading on voltmeter         11       C       5.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak reading on voltmeter         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         13       C       5.0 Mc       5.0 Mc       LO1 (Osc)       reading on voltmeter         14       D       12.0 Mc       12.0 Mc       LO1 (Osc)       reading on voltmeter         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak reading on voltmeter         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak reading on voltmeter         17       D       26.0 Mc       26.0 Mc       CM1 (	5	В	4.0 Mc	4.0 Mc	ĊO3 (Osc)	Teading on Youmover	
7       B       4.0 Mc       4.0 Mc       CM3 (RF)       Reading on voltmeter         Repeat steps 6 & 7 until calibration is correct at both ends of the scale (2.0 and 4.0 Mc)         8       B       2.0 Mc       2.0 Mc       LA3 (Ant)         9       C       5.0 Mc       5.0 Mc       LO2 (Osc)         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)         Repeat steps 9 & 10 until calibration is correct at both ends of the scale (5.0 and 14.0 Mc)         11       C       5.0 Mc       5.0 Mc       LM2 (RF)         12       C       14.0 Mc       14.0 Mc       CM2 (RF)         Repeat steps 11 & 12 until calibration is correct at both ends of the scale (5.0 and 14.0 Mc)         13       C       5.0 Mc       5.0 Mc       LM2 (RF)         Repeat steps 11 & 12 until calibration is correct at both ends of the scale (5.0 and 14.0 Mc)         13       C       5.0 Mc       5.0 Mc       LA2 (Ant)         14       D       12.0 Mc       12.0 Mc       CO1 (Osc)         Repeat steps 14 & 15 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       Adjust for peak         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak         17       D       26.0 Mc	Re	epeat steps 4 &	5 until calibration i	s correct at	both ends of th	e scale (2.0 and 4.0 Mc)	
7       B       4.0 Mc       4.0 Mc       CM3 (M2)         Repeat steps 6 & 7 until calibration is correct at both ends of the scale (2.0 and 4.0 Mc)         8       B       2.0 Mc       2.0 Mc       LA3 (Ant)         9       C       5.0 Mc       5.0 Mc       LO2 (Osc)         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)         Repeat steps 9 & 10 until calibration is correct at both ends of the scale (5.0 and 14.0 Mc)         11       C       5.0 Mc       5.0 Mc       CM2 (RF)         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         Repeat steps 11 & 12 until calibration is correct at both ends of the scale (5.0 and 14.0 Mc)       Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         13       C       5.0 Mc       5.0 Mc       LA2 (Ant)       Adjust for peak reading on voltmeter         14       D       12.0 Mc       12.0 Mc       LO1 (Osc)       reading on voltmeter         16       D       12.0 Mc       12.0 Mc       CM1 (RF)       Adjust for peak reading on voltmeter         17       D       26.0 Mc       26.0 Mc       CM1 (RF)       Adjust for peak reading on voltmeter         Repeat steps 16 & 17 until calibration is	6	В	2.0 Mc	2.0 Mc	LM3 (RF)		
8       B       2.0 Mc       2.0 Mc       LA3 (Ant)       Adjust for peak         9       C       5.0 Mc       5.0 Mc       LO2 (Osc)       reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)       reading on voltmeter         11       C       5.0 Mc       5.0 Mc       CO2 (Osc)       Adjust for peak         11       C       5.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak         Repeat steps 11 & 12 until calibration is correct at both ends of the scale (5.0 and 14.0 Mc)       Mc       14.0 Mc       CM2 (RF)         13       C       5.0 Mc       5.0 Mc       LO1 (Osc)       Adjust for peak         14       D       12.0 Mc       12.0 Mc       LO1 (Osc)       reading on voltmeter         15       D       26.0 Mc       26.0 Mc       CO1 (Osc)       reading on voltmeter         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak         17       D       26.0 Mc       26.0 Mc       CM1 (RF)       Adjust for peak         18       D       12.0 Mc       12.0 Mc       LA1 (Ant)	7	B	4.0 Mc	4.0 Mc	CM3 (RF)	reading on voltmeter	
9       C       5.0 Mc       5.0 Mc       LO2 (Osc)       Adjust for peak reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)       reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)       reading on voltmeter         11       C       5.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak reading on voltmeter         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         13       C       5.0 Mc       5.0 Mc       LA2 (Ant)       Adjust for peak reading on voltmeter         14       D       12.0 Mc       12.0 Mc       LO1 (Osc)       reading on voltmeter         15       D       26.0 Mc       26.0 Mc       CO1 (Osc)       reading on voltmeter         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak reading on voltmeter         17       D       26.0 Mc       26.0 Mc       CM1 (RF)       Adjust for peak reading on voltmeter         Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       Adjust for peak <tr< td=""><td>R</td><td>epeat steps 6 &amp;</td><td>7 until calibration i</td><td>s correct at</td><td>both ends of th</td><td>e scale (2.0 and 4.0 Mc)</td></tr<>	R	epeat steps 6 &	7 until calibration i	s correct at	both ends of th	e scale (2.0 and 4.0 Mc)	
9       C       5.0 Mc       5.0 Mc       LO2 (Osc)       reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)       reading on voltmeter         10       C       14.0 Mc       14.0 Mc       CO2 (Osc)       reading on voltmeter         11       C       5.0 Mc       5.0 Mc       LM2 (RF)       Adjust for peak reading on voltmeter         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         13       C       5.0 Mc       5.0 Mc       LA2 (Ant)       Adjust for peak reading on voltmeter         14       D       12.0 Mc       12.0 Mc       LO1 (Osc)       reading on voltmeter         15       D       26.0 Mc       26.0 Mc       CO1 (Osc)       reading on voltmeter         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak reading on voltmeter         17       D       26.0 Mc       26.0 Mc       CM1 (RF)       Adjust for peak reading on voltmeter         Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       Adjust for peak reading on voltmeter	8	В	2.0 Mc	2.0 Mc	LA3 (Ant)	Ádjust for peak	
10C14.0 Mc14.0 McCO2 (Osc)Repeat steps 9 & 10 until calibration is correct at both ends of the scale (5.0 and 14.0 Mc)11C5.0 Mc5.0 McLM2 (RF)Adjust for peak reading on voltmeter12C14.0 Mc14.0 McCM2 (RF)Adjust for peak reading on voltmeter13C5.0 Mc5.0 McLM2 (RF)Adjust for peak reading on voltmeter14D12.0 Mc5.0 McLO1 (Osc)Adjust for peak reading on voltmeter15D26.0 Mc26.0 McCO1 (Osc)Adjust for peak reading on voltmeter16D12.0 Mc12.0 McLM1 (RF)Adjust for peak reading on voltmeter16D12.0 Mc12.0 McLM1 (RF)Adjust for peak reading on voltmeter16D12.0 Mc12.0 McLM1 (RF)Adjust for peak reading on voltmeter18D12.0 Mc12.0 McLM1 (RF)Adjust for peak reading on voltmeter	9	С	5.0 Mc	5.0 Mc	LO2 (Osc)	-	
11C5.0 Mc.5.0 McLM2 (RF)Adjust for peak reading on voltmeter12C14.0 Mc14.0 McCM2 (RF)Adjust for peak reading on voltmeter13C5.0 Mc5.0 McLA2 (Ant)14D12.0 Mc12.0 McLO1 (Osc)15D26.0 Mc26.0 McCO1 (Osc)12.0 Mc12.0 McLO1 (Osc)Repeat steps 14 & 15 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)16D12.0 Mc12.0 Mc17D26.0 Mc26.0 McCM1 (RF)Adjust for peak reading on voltmeterRepeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)18D12.0 Mc12.0 Mc120 Mc12.0 McLA1 (Ant)Adjust for peak reading on voltmeter	10	С	14.0 Mc	14.0 Mc	CO2 (Osc)	reading on vorimeter	
12       C       14.0 Mc       14.0 Mc       CM2 (RF)       Adjust for peak reading on voltmeter         Repeat steps 11 & 12 until calibration is correct at both ends of the scale (5.0 and 14.0 Mc)       Adjust for peak         13       C       5.0 Mc       5.0 Mc       LA2 (Ant)       Adjust for peak         14       D       12.0 Mc       12.0 Mc       LO1 (Osc)       reading on voltmeter         15       D       26.0 Mc       26.0 Mc       CO1 (Osc)       reading on voltmeter         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak         17       D       26.0 Mc       26.0 Mc       CM1 (RF)       Adjust for peak         17       D       26.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak         Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       Adjust for peak         18       D       12.0 Mc       12.0 Mc       LA1 (Ant)       Adjust for peak	Re	epeat steps 9 &	10 until calibration	is correct at	both ends of t	he scale (5.0 and 14.0 Mc)	
12       C       14.0 MC       14.0 MC       CM2 (RF)         Repeat steps 11 & 12 until calibration is correct at both ends of the scale (5.0 and 14.0 Mc)         13       C       5.0 Mc       5.0 Mc       LA2 (Ant)         14       D       12.0 Mc       12.0 Mc       LO1 (Osc)         15       D       26.0 Mc       26.0 Mc       CO1 (Osc)         Repeat steps 14 & 15 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak reading on voltmeter         17       D       26.0 Mc       26.0 Mc       CM1 (RF)       Adjust for peak reading on voltmeter         Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)         Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)         18       D       12.0 Mc       LA1 (Ant)       Adjust for peak	11	С	5.0 Mc.	5.0 Mc	LM2 (RF)		
13C5.0 Mc5.0 McLA2 (Ant)Adjust for peak14D12.0 Mc12.0 McLO1 (Osc)reading on voltmeter15D26.0 Mc26.0 McCO1 (Osc)reading on voltmeterRepeat steps 14 & 15 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)16D12.0 Mc12.0 McLM1 (RF)Adjust for peak17D26.0 Mc26.0 McCM1 (RF)Adjust for peakRepeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)18D12.0 Mc12.0 McLA1 (Ant)Adjust for peak	12-	С	14.0 Mc	14.0 Mc	CM2 (RF)	reading on voltmeter	
14D12.0 Mc12.0 McLOI (Osc)Adjust for peak reading on voltmeter15D26.0 Mc26.0 McCOI (Osc)reading on voltmeter16D12.0 Mc12.0 McLM1 (RF)Adjust for peak reading on voltmeter16D26.0 Mc26.0 McCM1 (RF)Adjust for peak reading on voltmeter17D26.0 Mc26.0 McCM1 (RF)Adjust for peak reading on voltmeter18D12.0 Mc12.0 McLA1 (Ant)Adjust for peak Adjust for peak	R	epeat steps 11	& 12 until calibratio	n is correct .	at both ends of	the scale (5.0 and 14.0 Mc)	
14       D       12.0 Mc       12.0 Mc       LOI (Osc)       reading on voltmeter         15       D       26.0 Mc       26.0 Mc       COI (Osc)       reading on voltmeter         15       D       15 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       reading on voltmeter         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak reading on voltmeter         17       D       26.0 Mc       26.0 Mc       CM1 (RF)       Adjust for peak reading on voltmeter         Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       18       D       12.0 Mc       12.0 Mc       LA1 (Ant)       Adjust for peak	13	С	5.0 Mc	5.0 Mc	LA2 (Ant)	Adjust for peak	
15       D       26.0 Mc       26.0 Mc       COI (Osc)         Repeat steps 14 & 15 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)         16       D       12.0 Mc       12.0 Mc       LM1 (RF)       Adjust for peak reading on voltmeter         17       D       26.0 Mc       26.0 Mc       CM1 (RF)       Adjust for peak reading on voltmeter         Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       Adjust for peak         18       D       12.0 Mc       12.0 Mc       LA1 (Ant)       Adjust for peak	14	D	12.0 Mc	12,0 Mc	LOl (Osc)		
16     D     12.0 Mc     12.0 Mc     LM1 (RF)     Adjust for peak reading on voltmeter       17     D     26.0 Mc     26.0 Mc     CM1 (RF)     Adjust for peak reading on voltmeter       Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       18     D     12.0 Mc     12.0 Mc     LA1 (Ant)     Adjust for peak	15	D	26.0 Mc	26.0 Mc	COl (Osc)	reading on voltmeter	
17     D     26.0 Mc     26.0 Mc     CM1 (RF)     reading on voltmeter       Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       18     D     12.0 Mc     12.0 Mc     LA1 (Ant)     Adjust for peak	Repeat steps 14 & 15 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)						
17     D     20.0 Mc     20.0 Mc     CMI (RF)       Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)       18     D     12.0 Mc     12.0 Mc     LA1 (Ant)     Adjust for peak	16	D	12.0 Mc	12.0 Mc	LMI (RF)		
18 D 120 Mc 120 Mc LAI (Ant) Adjust for peak	17	D	26.0 Mc	26.0 Mc	CM1 (RF)	reading on voltmeter	
	Repeat steps 16 & 17 until calibration is correct at both ends of scale (12.0 and 26.0 Mc)						
	18	D	12.0 Mc	12.0 Mc	LAl (Ant)		

.


<u>}\_</u>

\*NOTE: On all bands, the oscillator is set on the high frequency side of the incoming signal.




1





- 13 -

## SCHEMATIC



1

# TIC DIAGRAM

