









[illegible]

NOTES

1. Resistors are $\frac{1}{4}$ watt carbon except as noted.
2. Capacitors are ceramic except as noted below.

- Titanium
- Electrolytic
- Mica
- Mylar

DETECTOR & IF AMP

P. O. BOX D, OAK RIDGE, TENNESSEE 37830				
TITLE <i>MSI RF CIRCUIT DIAGRAM 1400-0873 BOARD</i>				
ENGINEER <i>R. Hasterer</i>	DATE	ENG. APPROVAL	DATE	PART NO. <i>1400-1256</i>
DESIGNED BY <i>R. Hasterer</i>	<i>9-74</i>	DRAWING APPROVAL	DATE	DRAWING NO. <i>MSI - 0873-10</i>
SCALE		RELEASED BY	DATE	

14	ICN-75-59	5-0-75	DLR
13	ICN-75-54	4-30-75	DLR
12	ICN-75-50	3-14-75	JW
11	ICN-75-36	3-4-75	DLR
10	ICN-75-17	2/7/75	R.C.S.
9	ICN-74-133	1/24/74	R.C.S.
8	ICN-74-123	12/1/74	JW
7	ICN-74-121	11-12-74	JW
6	74-104 & 74-107	10-17-74	R.C.S.
5	ICN-74-92	10-2-74	R.C.S.
4	ICN-74-89	10-2-74	R.C.S.
3	ICN-74-85	8-25-74	R.C.S.
2	ICN-74-76	8-25-74	R.C.S.
1	ICN-74-55	7-23-74	R.C.S.
REV.	ECN NO.	DATE	BY

REVIEWS