

Produhoff

AIRWAYS RADIO EQUIPMENT.

INSTRUCTION BOOK.

CONTENTS.

1. INTRODUCTION.	1.
2. GENERAL DESCRIPTION.	2.
2.1 Mechanical	2.
2.2 Electrical	2.
2.3 Valve Complement	3.
3. DETAILED DESCRIPTION.	4.
3.1 Antenna	4.
3.2 Coils	4.
3.3 R.F.Circuits	5.
3.4 R.F.Gain Control	6.
3.5 Converter Stage	7.
3.6 H.F. Oscillator	7.
3.7 I.F. Amplifiers	8.
3.8 Crystal Filter	9.
3.9 Beat Frequency Oscillator.	13.
3.10 Signal Strength Meter	14.
3.11 Second Detector and Audio Gain Control	14.
3.12 Delayed A.V.C.	15.
3.13 Audio Amplifier.	17.
3.14 Noise Limiter.	17.
3.15 Tone Control.	18.
3.16 Output Circuits.	19.
3.17 Power Supply.	20.
4. OPERATION AND MAINTENANCE.	21.
4.1 Use of Crystal Filter	21.
4.2 Alignment Procedure	21.
4.3 Voltage and Resistance Tests	28.
4.4 Schedule of Components.	33.

SCHEMATIC DIAGRAM AR7.

DIRECTORATE OF AIRWAYS.

DEPARTMENT OF CIVIL AVIATION.

MELBOURNE.

COMMUNICATION RECEIVER TYPE AR7.

1. INTRODUCTION.

- 1.1 The A.R.7 is seven stage communications superheterodyne receiver incorporating two stages of radio-frequency amplification, a converter stage, two stages of intermediate-frequency amplification (including a crystal filter), diode detector, delayed automatic volume control, audio amplifier with A.V.C., and a power output valve. A separate twin high-mu triode valve is used for the beat-frequency oscillator and vacuum voltmeter type signal strength meter.
- 1.2 Stable operation is provided at all frequencies between 138 KCS., and 25 MCS. with the exception of a gap of 45 KCS., on either side of the I.F. channel (which is 455 KCS.).
- 1.3. Variable selectivity is made possible in conjunction with a crystal filter. A phasing control permits rejection of heterodyning signals whilst copying C.W.
- 1.4 In order to eliminate continuous adjustment of the controls, and to obtain a more satisfactory check on signal strength, the sensitivity of the receiver is maintained relatively constant over the entire frequency range. It may, however, be varied as required, by means of a manually operated R.F. Gain Control. Provision is also made for controlling the audio gain. Coupled to this latter control is a "Stand-by" switch, which disconnects the H.T., while allowing the heaters to remain "ON".
- 1.5 A "Signal Strength" meter gives visual indication of the carrier strength of the received signal.
- 1.6 A beat frequency oscillator is provided for the reception of C.W. signals. When the B.F.O. is switched "OUT", automatic volume control is automatically switched into the circuit, thus compensating for fading of R/T signals.
- 1.7 The receiver may be operated from the standard 200/250 volt A.C. mains supply.
- 1.8 On reference to the circuit, it will be seen that the A.R.7 receiver consists of three panels mounted in a rack. The top unit contains the A.C. Power Supply, with a switch mounted on the front panel. The second unit is the Loudspeaker and baffle. A switch is provided on this panel for switching the output to a 600 ohm line when the receiver is used for remote controlled operation, or for other similar purposes. The lower unit is the receiver itself.

2. GENERAL DESCRIPTION.

2.1 Mechanical Construction.

The chassis are constructed of No.18 gauge sheet metal, spot welded, and heavily reinforced with angle pieces and gusset plates to ensure durability and complete rigidity. The whole is given a heavy coat of copper, not less than one-thousandth of an inch thick to ensure good earthing of the chassis. To guard against corrosion, the chassis are then cadmium plated. The receiver and power chassis are fitted with dust covers thoroughly ventilated.

2.2 Electrical Characteristics.

It is important to note that the figures quoted below represent an average taken over a number of tests on different receivers. Slight variations may therefore be encountered in individual cases.

The receiver is designed to operate over the entire range, with an R.F. input of 1 microvolt absolute, or better. The frequency coverage is 138 Kc/s to 28 Mc/s with the exception of a gap of 45 Kc/s either side of the IF channel.

Sensitivity.

The absolute sensitivity is such that a radio-frequency input voltage of 1 microvolt, modulated to a depth of 30% at 400 c.p.s. applied through a standard dummy antenna, gives an output greater than 50 milliwatts in the 600 ohm line, with a signal-to-noise ratio of 1; 1 in milliwatts, or better. The specifications demand a minimum sensitivity of 1 microvolt absolute to give an output of 6 milliwatts under such conditions. Actually, the output is as high as 200 milliwatts on some bands. These readings are taken with the volume control adjusted to give a signal-to-noise ratio of 1 ; 1 in watts.

With the same input, (1 microvolt), from a signal generator, vertical or doublet antenna, and with the volume control advanced beyond the noise ratio of 1 ; 1, maximum undistorted output to the speaker is nearly two watts, of which approximately 1/20th is delivered to the headphones and the 600 ohm line.

Power Output.

From the above remarks it will be seen that if a round figure of 2 watts is taken as the maximum undistorted output the input to the headphones is 1/20th of 2 watts, i.e., 1/20th of 2,000 milliwatts, which equals 100 milliwatts. The same output is delivered to the 600 ohm line. The actual output to the speaker, which has an impedance of 1750 ohms, is 1.8 watts, (undistorted power output).

Image Ratio.

Two stages of radio-frequency amplification are used in the receiver, and these provide the following signal-to-image ratios:-

Band "A"	better than 2000 to 1.
Band "B"	better than 2000 to 1.
Band "C"	better than 2000 to 1.
Band "D"	better than 2000 to 1.
Band "E" at 12 MCS.	2000 to 1.
Band "E" at 22 MCS.	500 to 1.

2.3 Valve Complement.

Valve layout is as follows :-

No. 1 - 6U7G	First R.F. Amplifier.
No. 2 - 6U7G	Second R.F. Amplifier.
No. 3 - 6K8G	Converter and First Detector.
No. 4 - 6U7G	First I.F. Amplifier, and Crystal Filter.
No. 5 - 6U7G	Second I.F. Amplifier.
No. 6 - 6G8G	Second Detector, A.V.C., First Audio Amplifier.
No. 7 - 6V6G	Power Amplifier.
No. 8 - 6C8G	B.F.O., and Vacuum Tube Voltmeter.
No. 9 - SY3G	Rectifier.

3. DETAILED DESCRIPTION.

3.1 Antenna.

The input to the aerial coil is designed for vertical or doublet operation, and has an average input impedance of 400 ohms. If a single wire is used, it should be connected to terminal A1, a jumper wire being connected across earth and A2. The two wires of a doublet type antenna should be connected directly to A1 and A2, no shorting wire being used. If the aerial installation uses a balanced transmission line, the two input leads should be connected as for a doublet.

3.2 Coils.

The frequency range of the receiver, (140 KCS. to 25 MCS.) is covered in five bands. These bands are lettered from "A" to "E" and a plug-in coil unit is provided for each band. The frequency ranges of each band are as under :-

Band "A"	140 KCS. to 405 KCS.
Band "B"	490 KCS. to 1430 KCS.
Band "C"	1420 KCS. to 4.3 MCS.
Band "D"	4.25 MCS. to 12.5 MCS.
Band "E"	12.5 MCS. to 25 MCS.

Note the gap between the end of Band "A" and the commencement of Band "B". This gap, (approximately 45 KCS.) on either side of the I.F. (455 KCS.) is made because it is impracticable for the signal and the intermediately tuned circuits to be operated on or near the same frequency.

Each coil unit is clearly marked with the band letter, and each consists of four separate coils, (aerial coil, two R.F. coils, and oscillator coil). Every individual coil is separately shielded, and is mounted inside the coil box with its associated air trimming condensers and iron core slugs which allow adjustment of the coil units. The four coils comprising one complete unit are mounted on a framework which is provided with two handles to facilitate insertion and withdrawal of the unit.

The face of each coil unit has a curve engraved upon it. This curve represents dial reading plotted against frequency, and it allows fairly accurate presetting of the receiver to any predetermined frequency. For greater accuracy, the receiver should be set to the required frequency by means of a signal generator.

Coil connections (which vary with the band in use), are illustrated on circuit diagram. Adjustment to the coils is made through holes provided in the coil shields, and the illustrations show the coil arrangement as seen from under the chassis, in the position where coil adjustments would be made,

The electrical contacts on the coil acceptor unit are constructed of phosphor-bronze, silver-plated. These contacts are self-cleaning by friction.

Tuning of the coils is accomplished by means of variable condensers having a capacity of 11 to 420 mmfd. Four of these condensers are ganged, and the whole assembly is then mounted on a 1/8 inch plate to ensure rigidity. The condensers are driven by a high ratio vernier dial having a range of 500 degrees spread over an equivalent length of 12 feet. Parallel tuning is employed on bands "A", "B", "C", and "D", and series capacity tuning on band "E". A modified "H" type gang is used.

The tuning ratio is approximately 2.9 to 1 on bands "A", "B", "C", and "D", and 2 to 1 on band "E". The ratio is reduced on band "E" by parallel tuning, which is used to increase the band spread at the higher frequencies.

The R.F. coils are of conventional design, with tuned grid and resonating primary. The coupling between the two coils is so arranged that uniform gain is obtained over the whole band. The oscillator coil is similar in construction. A padder condenser is mounted inside the oscillator coil shield to enable oscillator tracking to be adjusted.

The oscillator coil is tuned to 455 KCS., higher than the tuning frequency, and this is maintained over the entire range of the band by correct adjustment of the induction slug and the padder condenser mounted inside the coil shield. This gives the necessary 455 KCS. beat in the frequency converter for intermediate frequency amplification. Band "E" oscillator coil has no padder condenser or variable induction, but this coil is adjusted in the factory. By spacing the turns of the secondary correctly, and adjusting C8 under the coil housing to 455 KCS. above the tuning frequency, correct tracking is maintained on this band. The adjustment referred to is always made at the low-frequency end of the band.

3.3 Radio-Frequency Circuits.

The function of the radio-frequency amplifiers is to receive from the aerial system all types of signals, select the desired signal by virtue of their variable resonant properties, amplify this signal, and pass it on to the converter stage for frequency conversion. The variable tuning factor is the tuning condenser.

The sensitivity of the R.F. stages is controlled manually by the R.F. Gain Control, or by the A.V.C., as desired.

Two types 6U7G valves are used in the R.F. amplifiers, and stable screen voltage on these valves is obtained by means of a voltage divider system, R3-R4, and R8-R9.

3.4 R.F. Gain Control.

Due to the very high amplification available in the R.F. and I.F. stages of the A.R.7 receiver, it is necessary to adopt some means to control the gain of these stages in order to prevent overloading - particularly on C.W., when the Delayed Automatic Control system is not in operation.

The control of R.F. gain is affected by returning the cathode bias resistors of the second R.F., and first and second I.F. stages, to a point of positive potential with respect to earth. Resistors R18, (a 50,000 ohm, 2 watt resistor), and R19, (a 5,000 ohm wirewound variable resistor), are in series across the H.T. to form a voltage divider through which the current flows. It will be seen that the voltage across R19 will be the product of the current through it, multiplied by the amount of resistance in the circuit.

It can therefore be calculated that the voltage at the common point of the two resistors will vary from zero, (earth potential), to approximately 22.5 volts positive, according to the setting of the moving arm of the variable resistor R19. This voltage is due solely to the current passing through the voltage divider circuit.

However, when the cathode returns of the three valves mentioned are connected to this point, the combined currents through the valves will also flow through that portion of R19 which is in circuit, (according to the setting), and as this increases the total current flow, there will be a greater voltage drop across R19.

On inspection of the circuit diagram, it will be apparent that when the gain control is set to the position marked "10", the only bias on the controlled stages will be that due to the voltage drop across their individual cathode resistors, and therefore the bias will be at a minimum value. Under these conditions, the gain will therefore be at a maximum value.

With the gain control set to the "0" position, the full voltage drop across R19, (approximately 30 volts), will be applied to the valves as bias. Thus, in this case, the bias voltage is at a maximum value, resulting in minimum gain. At all intermediate positions, the bias, and therefore the amplification of the controlled stages, will be in proportion to the amount of resistance of R19 actually in circuit. Note that the R.F. Gain Control is not used on the first R.F. or the Converter stages.

3.5 Converter Stage.

After the radio-frequency amplifiers have selected and amplified the desired frequency, the signal is passed on to the frequency converter, the function of which is to mix the desired signal with the R.F. voltage from the Oscillator stage. Since the latter is tuned to 455KCS. above the signal frequency, a beat of 455 KCS. is produced. This beat has all the characteristics of the original signal, except that it always appears on a constant frequency, i.e. 455 KCS. irrespective of the actual signal frequency. The signal thus obtained is passed through the intermediate frequency amplifiers for additional amplification.

The converter stage uses a 6K8G valve, which operates efficiently over the full frequency range of the receiver. The oscillator and screen high tension supplies are taken through the same dropping resistance to make use of the frequency compensating characteristics afforded.

No A.V.C. is applied to the converter stage, thus eliminating any possibility of frequency instability or distortion due to varying grid voltages from the A.V.C. circuit produced by fading signals.

3.6 H.F. Oscillator.

The high-frequency oscillator comprises the triode section of the 6K8G converter valve in a fundamental oscillator circuit. As the H.F. oscillator must always be tuned to a frequency 455 KCS. higher than the incoming signal frequency, it is necessary that it be very stable in operation. Any changes of voltage in either the hexode or triode portions of the valve may tend to cause frequency drift. Because of this, a number of precautions have been taken to ensure constant voltages on all electrodes.

Apart from the fact that special attention has been given to the design of this stage in order to ensure rigid construction, neither A.V.C., nor R.F. Gain Control is applied to the hexode. As a further precaution, the hexode screen, and the triode voltages are applied through a special filter (R13 and C18). Bleeder resistors R4, R9, R21 and R27 from screen circuits to earth, also assist in stabilising voltages in all stages.

The 50,000 ohm resistor, (R12) which is rated at $\frac{1}{4}$ watt, is the oscillator grid leak. C14, a .0001 mfd mica condenser, is the oscillator coupling condenser. The .1 mfd condenser (C17), is used as an R.F. bypass.

In some A.R.7 receivers with low serial numbers, R13 is a wirewound resistor, acting as oscillator anode and hexode screen voltage dropping resistor. In later models R13 consists of four 50,000 ohm 1 watt resistors in parallel. The reason for this is merely a matter of available components, and has no technical

significance. The necessity of a four watt resistor in this portion of the circuit may be queried, since the combined oscillator anode and hexode screen currents are quite low, (approximately 10 milliamperes). It can be calculated, however, that the maximum current that could be passed without overheating would be approximately 18 milliamperes. A four watt resistance is therefore quite a modest provision.

The oscillator grid current should be within 80 to 200 microamperes on bands "B", "C", "D", and "E" and up to 300 microamperes on band "A".

3.7 Intermediate Frequency Amplifiers.

The function of the I.F. circuits is to amplify the 455 KCS. signal produced by the mixing of the input and oscillator frequencies, and to pass this on to the diode detector for rectification, whence it is fed to the audio stages for amplification. The I.F. circuits are sharply tuned, and thus afford maximum gain at the resonant frequency, with sharp attenuation on either side of resonance, producing the selectivity characteristics of the receiver. By the addition of the crystal filter, considerably greater selectivity may be obtained. It is merely necessary at this stage, to point out that the crystal filter is, in effect, an additional and even more sharply tuned circuit than the I.F. stages themselves. Since it is possible to vary the degree of selectivity provided by the crystal filter, it will be seen that the I.F. Stages as a whole, present not only selectivity of a high order, but a method of controlling this selectivity at will by means of a control on the front panel of the receiver.

The sensitivity of the two I.F. stages is controlled in the same manner as the R.F. stages, i.e., either by A.V.C., or by manually operated R.F. gain control as desired.

The two I.F. valves, both of which are type 6U7G, may be operated at high gain, and with separate decoupling and bypassing of their elements. Voltage divider systems consisting of resistances R20-21, and R26-R27, stabilise the screen voltages on these stages, besides giving greater control for the A.V.C.

The Intermediate-Frequency transformers are designed for high gain, and have permeability tuned primary and secondary windings. The use of silvered-mica condensers across the primaries and secondaries ensures the utmost stability under all operating conditions, and assists materially in maintaining correct alignment.

These two I.F. transformers (I.F.T.3 and I.F.T.4) are wound with ~~xxx~~ Litz wire.

The I.F. Crystal Input and Output, transformers (I.F.T.1 and I.F.T.2), are specially wound, high impedance transformers, and they are treated separately.

3.8 Crystal Filter.

The Crystal Filter is in the first stage of the I.F. amplifier, and is unique in that practically all the disadvantages of the more conventional crystal filter circuits have been avoided.

There is practically no loss of signal strength with the crystal in or out of circuit, regardless of the setting of the selectivity control. Casual uses of the A.R.7 may dispute this fact, but failure to obtain such a result can generally be traced to incorrect use of the crystal filter.

Continuously variable selectivity is possible by means of a control mounted on the front panel of the receiver. A variable phasing control allows the rejection of any portion of either of the two sidebands. The rejection remains constant at any position of the selectivity control.

The "tinny", singing sound common to many crystal filters is totally absent when the filter is properly used. It is quite stable in operation, and the selectivity curve is practically symmetrical with the phasing control set to zero. It is simple to operate, but its value cannot be realized unless the proper procedure is followed.

The quartz crystal is a special "AT" cut, having a high "Q" and low frequency drift. It is fitted into a high dielectric-constant holder, sandwich fashion, between two ground stainless steel plates, and has mounting pins to fit a standard 5 pin socket. Approximately 1/1000th of an inch air gap is allowed between the crystal and the plates. The resonant frequency of the crystal is 455 KCS. (plus or minus 100 cycles.).

The action of a crystal filter is somewhat complex, and therefore no attempt will be made in this Instructional Manual to enter into a detailed mathematical discussion on the subject. Nevertheless, the functioning of this portion of the receiver is not generally understood as well as are other portions of the A.R.7, so that a somewhat more lengthy description is given hereunder. This discussion will therefore be devoted mainly to the theoretical requirements, and a comparatively simple explanation of how these requirements are met by the use of a crystal filter in the A.R.7 receiver.

When receiving C.W. signals, the operator often finds that there are one or more offending signals operating on frequencies close to that of the signal to which he wishes to listen. If the desired signal is weak, it may easily become lost or confused in the resulting interference. Some device is therefore necessary to increase the selectivity of the receiver under such conditions.

The crystal filter provides a solution to the problem, and for that reason is often incorporated in good communications receivers. The crystal behaves like a series resonant circuit having a very high "Q". It is not unusual for a crystal to have a "Q" of 20,000, but in the case of the A.R.7 receiver, the "Q" is very high indeed (50,000). Hence, the selectivity of the receiver increases, and the interfering signal is either ~~eliminated~~ eliminated or considerably reduced.

The two metal plates between which the crystal is mounted, form a small condenser, the capacitance of which depends on the size of the plates, their distance from each other, and the S.I.C. (Specific Inductive Capacity) of the material separating the plates. It is well known that a condenser offers an easy path to radio frequency, and the crystal holder will therefore act as a small condenser which will tend to pass frequencies other than that of the crystal. This defeats the main object of the crystal filter, which is to allow an easy path for signals of one frequency only. Hence it becomes necessary to cancel the capacitative effect of the quartz crystal holder by using a voltage which is equal but opposite in phase to that applied to the crystal holder, and applying this voltage to the output side of the crystal. The "out-of-phase" voltage is obtained by centre-tapping the secondary winding of the first I.F. transformer, and connecting this centre-tap to earth.

Since it is difficult to obtain an exact centre-tap mechanically i.e., by actually taping the coil itself, this operation (in the case of the crystal filter), is performed electrically, by connecting two silvered-mica matched condensers (C1 and C2) in series across the secondary winding, and earthing the point of contact. The secondary winding is thus accurately electrically centre-tapped, and equal voltages opposite in phase will appear at the extremities. The voltage used to cancel the crystal holder capacity is applied via a variable condenser to the output side of the crystal.

The crystal phasing condenser is a differential condenser, i.e., two condensers in parallel, but with one set of plates (the variable), common to both condensers, and so arranged that when the capacity of one (which for the purpose of this explanation will be termed Ca), is increased, the other (Cb) is decreased.

Consider for the moment that Cb is not in circuit. As Ca is variable, ~~xxxx~~ and as it is in parallel with the tuned circuit of the I.F. transformer, any variation in the capacity of Ca will vary the resonant frequency of that circuit. Since the I.F. transformer is preset to 455 KCS., and the resonant frequency

must not be altered if the gain and selectivity is to be maintained, some provision must be made to prevent this occurring when the variable condenser (known as the "phasing control") is adjusted, as otherwise the I.F. stage will no longer be resonant at the correct I.F. frequency.

Use is therefore made of the differential condenser, which introduces C_b , a capacity which is also in parallel with the I.F. transformer. Since the condenser is constructed so that when C_a is at maximum capacity C_b is at minimum, any increase in capacity afforded by C_a is automatically offset by a decrease in C_b , and thus the resonant frequency of the I.F. transformer is kept practically constant.

The selectivity of the crystal filter may be varied as desired by adding resistance in series with the tuned circuit of the I.F. transformer. The Selectivity Control (R16) is a 3,500 ohm carbon type potentiometer having a change of resistance which is approximately 1.5 times the relative rotation (known as a log-log-taper potentiometer). This variable resistance is connected in series with I.F.T.2, permitting a variation of the "Q" of this resonant circuit. This variation causes a change in the load impedance, and it is the ratio of the load impedance of I.F.T.2 to the impedance of the crystal which determines the degree of selectivity. It is apparent that I.F.T.2 must be accurately tuned to frequency, since a departure from resonance of only 1 K.C. will considerably reduce the broad position of the crystal selectivity. To maintain this accuracy silvered-mica condensers are used, the characteristics of which are particularly stable. Although ~~zix~~ silvered-mica condensers have a positive temperature co-efficient, this is much lower than the temperature co-efficient of standard mica or paper condensers.

With the crystal filter in circuit, and the variable selectivity control on "0", the full sensitivity of the receiver is preserved, i.e., there will be no loss of signal strength provided the receiver is exactly tuned to the required frequency. This latter is most important if the advantages of the filter are to be realised in practice, and the point is stressed because it is one which the operator (if not the technician) often fails to remember.

The selectivity of the crystal filter may be defined as the ratio of the output voltage at the resonant frequency to the output voltages of frequencies slightly off resonance. Therefore the selectivity of the filter may be expressed as the ratio of the "Q" of the crystal, to the "Q" of its output circuit (the second I.F. transformer).

A simple example of these ratios will help to make this clearer. If the "Q" of the crystal is 50,000 and the "Q" of the second I.F. transformer is 200, the selectivity of the filter will be 50,000/200. However, if the "Q" of the second I.F. transformer is varied by the selectivity control until it is reduced to 20, the selectivity of the filter will be 50,000/20..

From these examples it will be seen that if the "Q" of the second intermediate frequency transformer is DECREASED, the selectivity of the filter is INCREASED. This change is achieved by the variable resistance which is in series with the secondary of the second I.F. transformer (the selectivity control), and thus, by increasing the value of resistance (R16), the impedance decreases, and the selectivity of the filter increases.

Unless the correct procedure is followed when using the crystal filter, the value of the selectivity control will not be apparent. Consequently, all operators should receive practical instruction from the wireless maintenance mechanic, so that proper use may be made of this important feature of the A.R.7. The tuning procedure to be followed is detailed under section 4.1.

It was necessary, in the foregoing discussion, to refer briefly to the phasing control. This control is a variable condenser of the differential or opposed stator type, and its function is to effect neutralization of the capacity offered by the crystal holder and wiring in order to obtain a symmetrical voltage either way from 180 degrees, to produce a rejection dip at any desirable position plus or minus off resonance.

While the capacity between the rotor and each stator varies as a normal straight-line-capacity condenser, the capacity between the rotor and ~~the~~ two stators in parallel remains constant for any setting of the control.

The crystal input transformer (I.F.T.1.), is a Litz-wound, permeability-tuned step-down transformer having a high impedance primary to provide efficient loading in the anode circuit, and a relatively low impedance secondary to deliver a constant voltage to the crystal and the load. In order to supply a voltage 180 degrees out of phase with the crystal voltage (for neutralization purpose), the secondary is electrically centre-tapped to earth in accordance with the description given above.

The crystal output coil (I.F.T.2.), is also Litz-wound, and is permeability-tuned. This coil has an impedance at resonance of approximately 50,000 ohms. The return of this coil is through the selectivity control, which varies the impedance of the circuit, and thus produces the variable selectivity characteristics already outlined. An 80 mmfd. silvered-nica condenser tunes this coil to 455 KCS.

3.9 Beat Frequency Oscillator.

For the reception of C.W., it is necessary to provide a signal to beat with the I.F. signal. There must be a difference of frequency between the I.F., and Beat Frequency Oscillator (B.F.O.) signals, equivalent to an audible frequency, so that the signal may be heard in the headphones or on the loudspeaker.

In the A.R.7 Receiver, the B.F.O. is so adjusted that with the control knob set at zero (i.e., in the central position), it is tuned to the intermediate frequency, i.e., 455 KCS. This position is that known as "zero beat". By turning the B.F.O. note ~~the control~~ control to the left or right, the B.F.O. signal may be varied from 457 to 453 KCS., thus giving a beat note of plus or minus 2,000 c.p.s. It will be seen from this, that when the B.F.O. note control is in the central position, the receiver itself should be tuned to the zero beat of the signal, and the B.F.O. should THEN be adjusted for the required note. If the receiver is ~~then~~ returned to give the desired beat note, interference from nearby signals may result.

One half of a twin triode 6C8G valve is used in a series electron-coupled Hartley circuit as the beat frequency oscillator. R25 is a $\frac{1}{2}$ watt 50,000 ohm resistor which acts as a voltage dropping resistance for the anode. This resistance also prevents the anode current from exceeding a safe value when the B.F.O. is switched out of circuit by means of the B.F.O./A.V.C. switch. A paper condenser (C25), maintains the anode at the same A.C. earth potential as the bottom end of the coil for feedback purposes. C42 is a semi-variable trimmer condenser, and this feeds a certain proportion of the developed H.F. to the detector diode. The adjustment of this condenser is preset, and is sealed at the factory.

When the B.F.O. is in use, the A.V.C. line is shorted to earth. This prevents A.V.C. from operating during reception of C.W., whilst allowing the B.F.O. to operate. On switching to A.V.C., the A.V.C. short ~~to~~ to earth is removed, and the B.F.O. is earthed instead.

The heterodyne signal is fed into the rectifier diode through condenser C42, which is adjusted to approximately 15 mmfd. The grid condenser has a capacity of 100 mmfd., and the grid leak is 50,000 ohms.

The B.F.O. coil is Litz-wound, and has a high "j". It is permeability-tuned, and has a fixed tuning capacity of 100 mmfd. across the winding.

B.F.O. Note Control.

This is a two plate widget type variable condenser (C41) mounted on the front panel of the receiver. By variations of this capacity the beat note may be adjusted to 455 KCS. plus or minus 2,000 cycles, which is the central point.

3.10 Signal Strength Meter.

One half of the 6C8G valve is used for the B.F.O., and the other half of this valve is used as a vacuum tube voltmeter for operating the Signal Strength Meter ("S" Meter).

The "S" Meter is basically a 0 to 1 milliampere meter, having a linear scale. It is calibrated in "S" units, each unit representing approximately 6db. change in signal strength.

The "S" Meter is in series with a 5,000 ohm variable wire-wound resistor (R32), acting as a variable cathode bias on the valve. The normal functions of a cathode bypass condenser are performed by C26 (.05 mfd.).

Under no signal conditions i.e., with the grid at earth potential through the A.V.C. network resistors, R 32 is adjusted so that just sufficient current flows through the valve to give full scale reading on the "S" Meter. It must be realised that the scale on the "S" Meter is reversed, so that when maximum current is flowing through it, the pointer is at zero, and with minimum current, the pointer indicates maximum. As the grid of the "S" Meter valve becomes more negative by the action of the A.V.C. less current will flow, and therefore greater signal strength will be indicated, in proportion to the amplitude of the received signal.

Any alteration of the R.F. gain control will affect the voltage applied to the A.V.C. diode, and this will therefore cause changed readings in the "S" Meter, although there may be no apparent difference to the ear, owing to the A.V.C. action of the receiver.

The "S" Meter adjustment control is a 5,000 ohm variable resistor which is wired in series with the "S" Meter and the cathode of the vacuum tube voltmeter. Its function is to adjust the anode current of the V.T.V.M. until the meter needle shows zero with no signal input. This necessitates that the R.F. gain control be placed at minimum before making this adjustment.

In some A.R.7 Receivers, a resistance (V17), varying in value from 50 to 200 ohms, has been shunted across the meter so that the setting of the "S" Meter by the adjustment control will be correct in all cases, and that the results are standard for all receivers. This takes care of individual variations in meter sensitivity.

3.11 Second Detector and Audio Gain Control.

One diode section of the duo-diode 6G8G valve is used for signal rectification, thus providing the audio component, whilst the other diode is used for rectification of the signal to provide a D.C. voltage for automatic volume control purposes.

The secondary detector diode load resistance consists of R33, which is a $\frac{1}{2}$ watt 100,000 ohm resistor, and R34, a 1 megohm tapered carbon potentiometer (in some cases a .5 megohm potentiometer is used). Voltages pulsating according to the beat note (in the case of C.W. signals), or to audio frequency (in the case of B/P signals), will be developed across the two resistors. However, R33, in conjunction with C29 and C32 (the latter each of .0001mfd.), is used merely as a filter to remove the I.F. component from the rectified signal voltage. An examination of these points will show that a proportion of the developed voltages are thus sacrificed for the purpose of increasing the stability.

The automatic volume control voltage, developed between the A.V.C. diode and earth, is applied through R30 in series with R31. At the junction of these two resistors, a voltage which is half the value of the A.V.C. volts developed, is fed to the first audio stage through resistance R36.

It can now be considered that between the diode end of R33/R34 and cathode, there is developed a D.C. voltage which is pulsating according to the audio frequency component. Between any point on R34 and cathode, there will be a voltage which is directly proportional to the amount of resistance in the circuit. The low impedance of C31 to audio frequency will maintain the bottom end of R34 at A.C. earth potential.

Thus a greater or lesser proportion of the A.C. component is applied through condenser C33 (.01mfd.), to the grid of the A.F. amplifier, simply by adjustment of the moving arm of the audio gain control.

3.12 Delayed Automatic Volume Control.

Automatic Volume Control (abbreviated A.V.C.), is a system which automatically adjusts the sensitivity of the radio receiver in proportion to the strength of the received carrier wave, thus allowing its output to be maintained substantially constant with a varying input. Any varying signal on the A.V.C. diode changes the bias voltage to the previous stages, and therefore varies the overall sensitivity. A.V.C. prevents overloading and blasting of the loudspeaker when tuning the receiver over strong local signals.

In simple A.V.C., a certain amount of control takes place even on the weakest signals. Normal "noise level" is also sufficient to set the A.V.C. action into operation. This is undesirable, since any A.V.C. voltage increase causes a decrease in the sensitivity of the receiver. A decrease in receiver sensitivity on weak signals cannot be tolerated in a communications receiver, and the method used to overcome this drawback is to apply a system commonly known as "Delayed A.V.C." In this type of control, a separate diode is used, biased in such a way that it will not operate until the received signal exceeds a

certain voltage amplitude. Weak signals are therefore unaffected by A.V.C. action, or, more precisely, weak signals cause no A.V.C. action, and the sensitivity of the receiver is therefore not reduced.

The signal for the D.A.V.C. voltage is taken from the anode of the second I.F. amplifier valve through a 250 mfd., condenser (C30). By feeding the signal direct to a separate diode, the detector load diode is reduced, and there is a consequent reduction in distortion.

In the A.R.7 Receiver, diode No.2 of the 6G8G valve is used as the D.A.V.C. diode, being returned to earth through the resistors R30 and R31, each of .5 megohm, and rated at $\frac{1}{4}$ watt. The cathode of the 6G8G is a .8 volt positive potential with respect to earth, due to the current through the cathode bias resistor, R35, and the diode is thereby placed at .8 volt negative potential with respect to the cathode.

Checked OK on Ser 555

When, therefore the signal input to the diode exceeds .8 volt, rectification will occur, and a D.C. voltage will be developed across R30 and R31. This voltage will be in proportion to the signal strength, and it will be negative in polarity at the diode end of the load resistor.

The A.V.C. voltage is supplied to the grids of the controlled valves (V1, V2, V4 and V5) by connecting the low potential ends of their respective coils to the A.V.C. circuit through coupling resistors R1, R6, R15, R16, R23 and R29. As the coils themselves cannot be physically connected to earth without automatically removing the A.V.C. voltage from the valves, condensers C5, C9, C19, C23 and C15 are included to provide in each case a low reactance path to earth for R.F. and I.F. voltages which otherwise would appear in the A.V.C. circuit. These condensers and resistors also operate as filter circuits which improve the regulation of the A.V.C. voltage applied to the valves. Their values are determined by the necessity of ensuring that the time constant of each individual circuit ($C \times R - T$ secs.) does not exceed an optimum value of approximately .5 seconds, otherwise the A.V.C. would tend to be sluggish in its operation.

Approximately half of the A.V.C. voltage is tanned off from the junction of R30-R31, which form a voltage divider, and passed on to the pentode first audio stage as audio A.V.C. This A.V.C. action is applied to the pentode section of the 6G8G through the grid load resistor, R36, which is a $\frac{1}{4}$ watt resistance rated at 500,000 ohms. Filtering is accomplished by C34 (.1 mfd.). The purpose of audio A.V.C. is to reduce ~~the~~ the gain of the audio amplifier when high signals inputs are applied to the receiver.

The A.V.C. system in the A.R.7 Receiver maintains the output constant to within plus or minus 3 db. from a given setting.

3.13 Audio Amplifier.

The function of the audio amplifier is to increase the rectified voltage that has been developed across the audio gain control from the diode of the 6G8G valve, to a degree sufficient to operate a loudspeaker or headphones, or to supply sufficient power for a 600 ohm line.

The audio amplifier consists of the pentode portion of the 6G8G valve, which is resistance-capacity-coupled to the output valve, a 6V6G beam pentode. Both valves operate under self bias conditions.

After the audio component has been rectified, it is filtered by the network C29, R33 and C32, and then placed across the audio gain control (R34). The contact arm of this potentiometer is used to select the required amount of audio voltage to give the requisite output. This voltage is then passed to the grid of the 6G8G valve, where it is amplified, and passed through the coupling condenser C37 to the grid of the 6V6G for power amplification.

The output of the 6V6G is fed to the output transformer.

The condensers C29, C32, C35 and C40, and the resistances R33 and R40, are R.F. filters inserted to prevent the R.F. voltage from feeding back from the audio output, and thus causing instability. Condenser C34, prevents any out-of-phase audio voltage from the A.V.C. line cancelling out the audio voltage on the grid of the 6G8G valve. R36 is the grid leak for the first audio stage.

As mentioned when dealing with A.V.C. action, a portion of the A.V.C. is fed to the grid of the 6G8G valve in order to avoid overloading on strong signals.

The audio amplifier has a fairly constant gain between 70 and 10,000 c.p.s. delivering 1.8 watts to the loudspeaker (undistorted output). Some attenuation of the high frequency response is brought about by the selective circuits in the radio frequency amplifier, and the intermediate frequency amplifier, but this attenuation is not excessive.

3.14 Noise Limiter.

Owing to the fact that noise voltages developed by atmospheric, electric motors, etc., are often of considerably greater amplitude than the signal being received, it is desirable to provide some means of limiting the amplification of such noise peaks.

At first, this appears a formidable problem, yet the solution is quite simple. If the noise voltage has an amplitude of say ten volts, and the signal has an amplitude of two volts, it is merely necessary to limit the amplifying capabilities of the valve to two volts, and the signal-noise ratio is improved to a ratio of 1 ; 1, instead of 1 ; 5.

This is accomplished by lowering the saturation point of the first audio-frequency amplifier, and thus limiting the amplifying capabilities of that stage. By varying the screen voltage of the 6C8G to a value somewhat lower than normal, a point will be reached where the valve is just capable of handling the incoming signal without overloading. At this point, the characteristics of the valve are such that positive noise peaks cannot be amplified more than the incoming signal, even though the amplitude of the former are usually much greater. As a result, the signal-noise ratio cannot exceed 1 ; 1 on positive peaks. This is especially valuable when listening to C.W. signals.

Use of the noise limiter on R/T is possible, but a certain amount of distortion may be introduced.

In the circuit diagram, R38 is a 1 megohm $\frac{1}{4}$ watt resistor, and this is the normal screen voltage dropping resistor. It is used in conjunction with a .5 megohm tapered carbon potentiometer. A variable voltage divider system is thus formed, enabling the screen voltage to be varied. The variable portion of the voltage divider is the .5 megohm potentiometer (R37), known as the "Noise Limiter" control.

3.15 Tone Control.

One of the characteristics of the 6V6G beam tetrode, its high amplification of the higher portion of the audio-frequency spectrum, is liable to cause parasitic oscillation. The inductive reactance of the speaker transformer primary winding increases with an increase in frequency, and a condenser is therefore required in parallel with the inductance to compensate for this effect. Hence, C40, a .005 mfd., mica condenser is incorporated in the circuit to bypass all frequencies above the required audio frequency limit.

The tone control system consists of C38, a .1 mfd., paper condenser, and R43, a 50,000 ohm tapered carbon potentiometer. The resistor and condenser are connected in series, and are wired between the anode of the output valve and earth. The impedance of this circuit is therefore effectively in parallel with the impedance presented by the transformer primary. A greater or lesser proportion of the higher frequency audio spectrum may be considered bypassed to earth, according to the setting of the moving arm on the potentiometer.

In the "0" position of the tone control, a fairly wide range of high audio frequency will be so bypassed, and for this reason, position "0" is generally termed the "bass" position. On position "10", the impedance of the tone control circuit will be very high compared with the impedance of the transformer primary, so that the tone control may then be considered to be inoperative. This position is known as the "treble" position.

The tone control, when in the minimum position, will decrease the total output or "volume" of the receiver, due to the loss of the higher frequencies. It is generally used at some intermediate setting, depending on conditions of interference, and the tonal quality desired.

3.16 Output Circuits.

It is the function of the output circuits to supply the audio output to the headphone jacks, 600ohm line, or speaker terminals in the correct proportion of volume and at the necessary impedance.

Two output impedances are available from the output transformer, T5, viz., 1750 ohms, and 600 ohms. These windings are independent. The main output is fed to the loudspeaker, and a portion of the output is fed to the 600 ohm winding. If a round figure of 2 watts is taken as the maximum undistorted output, the input to the headphones is 1/20 or 100 mw. The same output is delivered to the 600 ohm line. The output to the speaker is 1.8 watts at 1750 ohms.

The 1750 ohm winding is connected to the filament pins of a five pin valve socket, which is used as an output socket.

Two headphone jacks are provided. The input to the headphones is taken from the loudspeaker winding through a resistor network. "J1" is the master jack. This jack controls the switching of the speaker, and connects "J2" into the circuit. If only one pair of headphones are used, they should be placed in "J1" jack as no output is available at "J2" until the master jack is in use. "J2" jack is provided in case it should be necessary to use an additional operator on the watch for instructional purposes, message reading, log keeping, etc.,.

It should be noted that when the headphones are inserted into "J1" jack, the loudspeaker circuit is opened, and an internal dummy load is connected in place of the speaker. It is this resistive load that acts as a divider network for the headphones, and it also performs the function of keeping the line output constant, by keeping the loading constant.

3.17 Power Supply.


The original R.A.A.F. unit was designed to allow switching from A.C. to a 12 volt battery source, and used 6X5GT rectifiers. The D.C.A. version uses an orthodox circuit with a 5Y3G rectifier, and a double section choke input filter. A fuse is provided in the negative H.T. lead from the transformer centre tap. The 12 volt heater winding of the original transformer is used and the heaters are connected in a series arrangement as shown. An additional transformer is provided for heating the rectifier filament.

The input circuit included a double pole switch and an R.F. filter.

It should be observed that the H.T. negative lead does not go direct to earth but is earthed by the standby switch in the receiver unit.

The receiver requires a H.T. current of 100 ma and a L.T. current of 1.35 amps at 12 volts.

AR7 Rx.



Use of Crystal Filter.

With the R.F. gain control at a low setting, and the B.F.O. note control set to "0", tune the desired signal to zero beat by adjusting the tuning control. The A.V.C./B.F.O. switch should be in the B.F.O. position so that the beat note may be heard and then reduced to zero beat. It is stressed that the zero beat must be found with the tuning ~~xxxxxx~~ control, and that the B.F.O. note control must be set to the central position. Zero beat must not be located with the B.F.O. note control.

Switch in the crystal filter, and adjust the selectivity control for medium selectivity (about 3 or 4). Rotate the phasing control either side of centre scale until a minimum amount of interference from the undesired signal is evident. This adjustment of the phasing control shifts the rejection dip of the crystal to a value plus or minus that of the actual tuned frequency, and this enables the operator to reject either side, or any portion of the side-band of a carrier.

Having now rejected the undesired signal, the B.F.O. note control should be adjusted to heterodyne at a frequency most suitable for the receiving conditions experienced. The operator should make sure to choose the side of the carrier which is opposite to the side on which interference is being experienced, i.e. if the desired signal frequency is lower than the undesired signal frequency, the B.F.O. note control should be adjusted so that the heterodyne is on the lower frequency side of the desired signal. When the correct setting of this control has been made, reception may be further improved by increasing or decreasing the selectivity of the crystal.

It is usually desirable to keep the selectivity of the receiver at a minimum, because of increasing difficulty of tuning as the selectivity is increased. With maximum selectivity, shifting carriers, frequency drift of the receiver or transmitter, etc. may make it necessary to correct the dial setting occasionally to avoid loss of signal strength. After some hours of operation, operators frequently blame conditions as the signal appears to become weaker, whereas the tuning should be checked frequently if signals are at all weak. It is therefore a big help to use no greater degree of selectivity than is found absolutely necessary.

Proctor

4. OPERATION AND MAINTENANCE.

4. 1 Use of Crystal Filter.

With the R.F. gain control at a low setting, and the B.F.O. Note control set to "0", tune the desired signal to zero beat by adjusting the tuning control. The A.V.C./B.F.O. switch should be in the B.F.O. position so that the beat note may be heard and then reduced to zero beat. It is stressed that the zero beat must be found with the tuning control, and that the B.F.O. note control must be set to the central position. Zero beat must not be located with the B.F.O. note control.

Switch in the crystal filter, and adjust the selectivity control for medium selectivity (about 3 or 4). Rotate the phasing control either side of centre scale until a minimum amount of interference from the undesired signal is evident. This adjustment of the phasing control shifts the rejection dip of the crystal to a value plus or minus that of the actual tuned frequency, and this enables the operator to reject either side, or any portion of the side-band of a carrier.

Having now rejected the undesired signal, the B.F.O. note control should be adjusted to heterodyne at a frequency most suitable for the receiving conditions experienced. The operator should make sure to choose the side of the carrier which is opposite to the side on which interference is being experienced, i.e. if the desired signal frequency is lower than the undesired signal frequency, the B.F.O. note control has been made, reception may be further improved by increasing or decreasing the selectivity of the crystal.

It is usually desirable to keep the selectivity of the receiver at a minimum, because of increasing difficulty of tuning as the selectivity is increased. With maximum selectivity, shifting carriers, frequency drift of the receiver or transmitter, etc., may make it necessary to correct the dial setting occasionally to avoid loss of signal strength. After some hours of operation, operators frequently blame conditions as the signal appears to become weaker, whereas the tuning should be checked frequently if signals are at all weak. It is therefore a big help to use no greater degree of selectivity than is found absolutely necessary.

4. 2 Alignment Procedure

I.F. Amplifier.

Extreme accuracy is required in the alignment of the I.F. circuits. Unless there is very good reason to suspect incorrect alignment, and the mechanic has all the necessary facilities for this work, it should not be attempted.

Slight misadjustment of the I.F. transformers will have a marked effect on the sensitivity and selectivity of the receiver. As the I.F. transformers are of an extremely stable type using permeability tuning and silver mica fixed condensers, it will usually be found that one or two turns of the iron core slug is all that is necessary to bring them to their original state of alignment.

The following instructions should be read through carefully, and they must be thoroughly understood before commencing adjustments.

Disconnect the aerial leads and power and speaker cables. Take the dust cover off, and remove the receiver from the rack. Stand the receiver on its side with the underneath facing to the right, and away from the rack.

Reconnect the power and speaker cables, but not the aerial leads. Connect an output meter adjusted to 600 ohms across the 600 ohm output terminals. An ordinary 0 - 5 volt copper oxide rectifier type A.C. meter with a 600 ohm, 1 watt carbon resistance connected across it is quite suitable for the purpose. To use the V.C.T. test set as an output meter, it must first be connected to the mains supply, in order that the meter rectifier can be placed into use. Turn the left-hand switch on the meter to the "Output Volts" position, and connect the output terminals to the output of the receiver.

Remove the grid lead from the cap of the 6K8G valve. Connect the output lead of a calibrated signal generator to the grid cap of the 6K8G through a condenser of approximately .005 mfd. The grid of the valve should be returned to earth through a dummy load consisting of a 100,000 ohm 1 watt carbon resistor.

Connect the earthed lead of the signal generator output to the chassis of the receiver, then set the "S" meter to zero reading with no signal by means of the "S" meter adjust control.

Place the crystal switch in the "IN" position, selectivity control on "8", phasing control to centre scale, B.F.O./".V.C. switch to A.V.C., tone control and noise limiter controls on "10", and the audio gain and R.F. gain to approximately "5".

Rotate the signal generator frequency control slowly over 455KCS. (having previously adjusted modulation to 30% at 400

cycles), and adjust the attenuator until a reading of half scale is indicated on the "S" meter when tuned to maximum peak of I.F. amplifier. In doing this it should be noted that the "S" meter reading will gradually increase until a very sharp peak of the highest amplitude is passed. (Ignore minor peaks) Return the signal generator setting to the highest-sharpest peak. This point indicates that the signal generator is tuned to exactly 455 KCS, the crystal frequency, and ensures that the signal generator is now adjusted to the correct alignment frequency irrespective of any error in calibration of the signal generator. is tuned to the exact crystal frequency.

Switch the crystal "OUT", and with other controls set as above, adopt the following procedure, Using a lining tool, e.g., a screw-driver of insulating material, or one with only a small tip of metal, adjust the iron core slug screws, which will be found on the top and bottom of the I.F. transformers. Those appearing above the chassis are for tuning, the grid circuits to resonance, whilst the slugs below the chassis are for adjusting the anode circuits (except in the case of I.F.T.2, the crystal filter circuit, which also will be found below the chassis near the chassis side, i.e., the one which is the greatest distance from the 6K8G valve). The I.F.T.2 (below chassis) and I.F.T.4 grid (above chassis) adjustments should not be altered at this stage.

Starting from I.F.T.1., turn the iron slug screws in or out till a maximum reading appears on the "S" meter with a minimum input from the generator. As the "S" Meter reading increases, the input from the "S" meter reading at approximately half scale. Having adjusted both grid and anode circuits to resonance (with the exception of I.F.T. and I.F.T.4 grid) as indicated by maximum reading on the "S" meter (with minimum signal input from the signal generator) check these alignments and the correct setting of the signal generator as follows:-

Switch the crystal filter into circuit, and with the selectivity control set on "10", and the phasing control in the central position, adjust the attenuator on the signal generator until a reading of approximately half scale on the "S" meter is observed. At the same time keep the audio gain control in a position which allows approximately 6 milliwatts (1.9 volts) on the 0-5 volt range of the A.C. voltmeter.

Rotate the signal generator frequency control slowly backwards and forwards over 455KCS, noting the peak on the "S" meter. If only one sharp maxima is observed, the alignment is correct. Should, however, two peaks occur, incorrect adjustment of the iron slugs, or incorrect setting of the signal generator, is indicated, and the procedure outlined in paragraphs 91 to 96 should be repeated. The correct peak is the highest, and at the same time, the sharpest one. It will thus be seen that the "S" meter and the 455KCS. crystal play a very important part in correct alignment of the A.R.7 receiver, and in this respect the lining of the I.F. transformers in the A.R.7 follows a procedure which differs from normal practice.

Now adjust T4 grid circuit for maximum peak on the output meter. After checking these circuits several times, only one sharp peak should appear on the "S" meter, and the sensitivity should be of the order of 10 microvolts. Under these conditions, with a 10 microvolt input and 6 milliwatts output, the indicated output should drop to 3 milliwatts ~~out~~ when the generator modulation is switched off. This reading is taken with the crystal in the "out" position.

With the crystal in circuit, the signal-to-noise ratio should be improved. Test to see if this is so, and if this is not the case, it will generally be found that the I.F. frequency is not the same as the crystal frequency, i.e. 455 KCS.

If the test is successful, the signal-to-noise ratio will be further improved on alignment of I.F.T.2 crystal filter grid circuit. The method of accomplishing this is detailed in the next two paragraphs.

Insert coil unit "B" and tune in a broadcast station. Switch the crystal into circuit and set the selectivity control to "0". Adjust I.F.T.2 for the best tonal quality on music, ignoring the volume level. When tuning control is rotated over the station's carrier, the effect noticed should be the same as with the crystal out of circuit, except for a slight additional sharpness.

On either side of the correct adjustment of the iron slug in I.F.T.2, the tonal response will be low and drummy, and as the dial is rotated over the station, a distinct hollowness, due to the crystal filter cutting sideband, will appear on either side of the station. The reason for this adjustment is to obtain a symmetrical and variable selectivity curve. Where possible, this adjustment should be made with the aid of a signal generator and a cathode ray oscilloscope, although the instructions given in the previous paragraphs are satisfactory for normal service use.

B.F.O. Adjustment.

The beat frequency oscillator should be tuned to 455 KCS., with the B.F.O. note control set at centre scale.

A simple method which can be used to check the setting, is to switch off the signal generator, set the selectivity control to "10", then switch in the crystal filter. Rotating the B.F.O. note control, a distinctive sound (similar to that of a "zero beat") will be heard as the B.F.O. passes over the crystal frequency and reaches 455 KCS. This should occur when the B.F.O. note control is at central scale position. If this setting is out, it may be corrected by adjusting the iron core in the B.F.O. shield can under the chassis.

R.F. and H.F. Oscillator Circuits.

As with the I.F. amplifier, extreme accuracy is required for the R.F. and H.F. Oscillator circuit alignment. The components employed in these circuits are of an extremely stable type, having been baked and treated with trolitol solution, and as air trimmer condensers of high quality insulating materials are used, it will be found that adjustments required are fewer than is usually the case with the standard receiver. Only a fraction of a turn of the trimmer condensers, and a very small adjustment of the iron core slugs, will be required. These adjustments should be sufficient to restore the lining of the circuits to their original accuracy. Such adjustments should only be made if the mechanic is certain that they have been made necessary through valve replacements, rough handling, or extreme temperature changes, etc., and that he has the facilities and experience to make the adjustments correctly.

The adjustments are made through the holes in the coil acceptor housing, and are marked L1, L2, L3, L4, C1, C2, C3, C4, C5, C6, C7, and C8.

L1 is the inductance adjustment on the aerial coil, L2 the inductance adjustment on the first R.F. coil, L3 the inductance adjustment on the second R.F. coil, L4 the inductance adjustment on the H.F. oscillator coil, C1 is the H.F. trimmer condenser on the aerial coil, C2 the series trimmer on coil band "E", C3 the H.F. trimmer condenser on the second R.F. coil, C4 the series trimmer condenser on coil band "E", C5 the H.F. trimmer condenser on the second R.F. coil, C6 the series trimmer condenser on coil band "E", C7 the H.F. trimmer condenser on the H.F. oscillator coil, and C8 is the padder condenser on the H.F. oscillator coil.

To align the R.F. and H.F. circuits connect a signal generator through a standard dummy antenna to the aerial terminal A1, the earth terminal of the dummy antenna being connected to A2, which should be bridged across to the earth terminal.

Plug in the coil units, from Band "A" to Band "E" in turn, and check the dial readings against the calibration curves drawn on the face of the coil unit under test. Note that the B.F.O. should be "ON", and that in conformity with the procedure outlined previously, the B.F.O. note control should be set to "0", i.e., 455 KCS. This should be tested in accordance with instructions detailed previously, before checking the receiver coil calibrations

Observe whether zero beat occurs at the correct dial setting on the receiver. Should this be so, the calibration is correct, and there will be no necessity for adjustments to the H.F. oscillator circuit. If the calibration is incorrect, i.e., if the dial

reading does not agree with the calibration given on the face of the coil, a small adjustment to C7 will correct the situation at the high frequency end of the band, and an adjustment of L4 will correct for the low frequency end (except in the case of Band "E" where there is no inductance adjustment). In the case of Band "E" coil, the series trimmer C8 is adjusted in place of L4.

To check the R.F. grid circuits alignment, switch off the B.F.O. and, using a 400 c.p.s. modulated signal from the signal generator, tune in a signal at approximately 15 degrees on the dial. The frequency at which the signal generator should be set for each band may be read approximately from the calibration curve on the coil unit.

Adjust the trimmer condensers C1, C3, and C5 for maximum peak on the "S" Meter, with minimum input from the signal generator. As there will be a certain amount of interlocking between the R.F. circuits and the H.F. oscillator at the highest frequencies, it will be necessary to rotate the tuning dial to and fro over the signal to obtain the greatest peak. If this peak is obtained in the incorrect position of the dial, it will be necessary to re-check the oscillator calibration.

If Band "A" will not follow the calibration curve, condenser C8, the series padder condenser should be adjusted, re-setting C7 and L4 after this has been done. As these settings mutually affect each other, they may have to be checked several times.

Some difficulty may be experienced on this band with oscillation, especially if the receiver is very far out of alignment. This will occur when the R.F. circuits are resonating at too high a frequency, or too near the intermediate frequency, causing instability, and therefore difficulty in alignment. If the oscillator section is corrected as above, and the grid circuits are adjusted individually by connecting the signal generator to the grid cap of the second and first R.F. valves in that order, the difficulty will be overcome provided precautions are taken to see that the receiver is not set to a higher frequency than 409 KCS.

After checking the high frequency end of each band, adjust inductances L1, L2, and L3 for maximum peak at the lowest frequencies. Each adjustment should be checked several times.

If the receiver is properly aligned, it should have a sensitivity of approximately 1 microvolt when modulated 30%. The signal-to-noise ratio should be 1:1 (in watts) or better, and the signal-to-image ratio should not be less than 400 to 1 at the highest frequencies.

If the receiver will not line up properly, the coils should be checked. The circuits shows how the coils are wired, and shows coil positions with the receiver chassis in the inverted position. The dotted line around the "A" and "B" coil units indicated the series of coils included in one complete unit.

It should be noted that a small variable mica condenser tunes the primary of Band "A" to approximately 120KCS., and that some of the R.F. secondaries have a 100,000 ohm resistance shunted across them to reduce their gain to a constant level. Also, note the reduced tuning ratio of Band "E" by the series tuning method. This series condenser has a capacity of 250 mmfd., plus or minus 1%, and is shunted by a 65 mmfd. variable condenser.

Each coil is set at the factory for correct coverage, tracking and sensitivity, and in no circumstances should it be necessary to open and readjust the coils. In an emergency, however, the final adjustments should be made with a signal generator which is capable of measurements at 1 microvolt or better. In most emergencies, coil units from other A.R.7 receivers are available, and these may be used. Although the calibration curves may not be reliable, they will be sufficiently accurate to set the receiver to the correct portion of the band. Final tuning adjustments may be completed with a signal generator.

POWER SUPPLY UNIT.

A.C. OPERATION:

Circuit consists of normal full-wave rectifier system and choke input filter. Full precautions have been taken to prevent R.F. entering receiver through power lines and also to bypass R.F. that may be picked up by induction from nearby transmitters. The rectifiers used are two 6X5GT. Each 6X5GT as normal full-wave rectifier is capable of delivering 75 M/As. but as the current consumption of AR7 is approximately 100 M/As. the plates of each rectifier are wired in parallel and the two valves together wired in full-wave rectifying circuit thus providing a fair reserve of current handling capacity.

Choke input filter is used because of its better regulation characteristic. As the receiver is designed to operate also from a 12 Volt accumulator the valve heaters are arranged in a series parallel circuit, which requires 1.95 amps at 11.6 volts. For this reason on A.C. operation the heaters are lit from a 12.6 volts secondary winding on power transformer.

D.C. OPERATION

On switching to D.C. a vibrator is brought into operation, and this provides A.C. to a special primary winding of power transformer. At the same time the valve heater circuit is connected directly to battery instead of to the secondary winding of transformer. A further 8 mfd. filter condenser is also switched into circuit making the filter system condenser input. The vibrator used is a 12 volt synchronous type, used as a non-synchronous by having the contacts wired in parallel thus giving double contact area therefore less wear.

FUSES:

Various faults may occur such as breaking down filter condensers or defective rectifier valves which would in normal circumstances tend to burn out power transformer or damage other components. To overcome this a fuse is provided in the negative return lead of the power supply unit, this fuse consists of a miniature E.S. lamp of .45 to .6 amps 2 to 8 volts.

A further fuse consisting of a 6 volt .3 amp. E.S. lamp is also inserted in series with plate load to No.1 Rectifier. (see Modification to AR.7's Nos. 1-2000 Wireless Order 298/B18). In the event of failure of either of these fuses tests should be made on condensers, rectifier valves, etc. to ascertain cause of breakdown. N.B. It is important to replace fuses with new fuses of ratings indicated above.

Further, 6V, .3 amp ES Lamp to be fitted in plate of 2nd Rectifier

VOLTAGE AND RESISTANCE TESTS.

Voltage Tests.

1. The D.C. voltages listed below should be checked with a 1,000 ohmsvoltage meter, using the scale indicated in brackets. The actual tests were made with a V.C.T. Test Set (Pelec.), this instrument being standard test equipment in the R.A.A.F.

2. The R.F. Gain Control should be placed on "0", the Noise Limiter on "10", the B.F.O./A.V.C. Switch on A.V.C. and the serial removed. Except when carrying resistance tests, the grid of the 6K8G should be shorted to earth, so that noise or signal voltages will not cause the A.V.C. to become operative and thus give readings which differ considerably from those listed below.

Socket Pin No, to Earth	6U7G 1st R.F.	6U7G 2nd R.F.	6K8G Osc. 1st. Det.	6U7G 1st I.F.	6U7G 2nd I.F.	6G8G 1st. Det. Aud.	6V6G output	6C8G "S" Met. B.F.O.	Scale to be used for 6G8G reading.
3	200	200	205	200	200	32	215	240	(1000 V.D.C.)
4	95	80	100	95	80	-	240	-	-
6	-	-	120	-	-	18	-	-	(100 V.D.C.)
8	2.5	2	3	2.5	2	.8	15	-	(10)

135V
120

Resistance Tests.

3. The resistances indicated below should be made with a 1,000 ohms per volt meter. All controls should be set at maximum, and the aerial and earth leads (including the link between A1 and A2) should be removed. The B.F.O./A.V.C. switch should be on A.V.C. and the crystal filter should be switched out of circuit. The receiver should not be connected to the power mains.

Aerial Circuits (Measured at Aerial Terminals A1 and A2)

- | | | |
|----|--------------------------------|----------|
| 4. | A1 to A2 on "A" Band Coil unit | 17 ohms |
| | A1 to A2 on "E" Band Coil unit | 1.5 ohms |

Note:-All other resistance tests are made with "C" Band Coil in the receiver.

- | | |
|-------------|----------|
| A1 to Earth | Infinity |
| A2 to Earth | Infinity |

Grid Circuits

- | | | |
|----|---------------------|----------------|
| 5. | Grid of V1 to Earth | 1,300,000 ohms |
| | Grid of V2 to Earth | 1,300,000 ohms |
| | Grid of V3 to Earth | 2 ohms |
| | Grid of V4 to Earth | 1,300,000 ohms |
| | Grid of V5 to Earth | 1,400,000 ohms |
| | Grid of V6 to Earth | 1,110,000 ohms |
| | Grid of V7 to Earth | 600,000 ohms |
| | Grid of V8 to Earth | 1,200,000 ohms |

Valve Sockets

6. For socket connections see Fig.27. Point to point resistance tests on valve sockets follow in order from .1 to .8.

V1 First R.F. Stage

- | | |
|----------------|-------------|
| Pin 1 to Earth | 26,000 ohms |
| Pin 2 to Earth | 7 ohms |
| Pin 3 to Earth | 21,000 ohms |
| Pin 4 to Earth | 26,000 ohms |
| Pin 5 to Earth | 260 ohms |
| Pin 6 to Earth | infinity |
| Pin 7 to Earth | Zero ohms |
| Pin 8 to Earth | 260 ohms |

V2 Second R.F. Stage

Pin 1 to Earth	27,000 ohms
Pin 2 to Earth	5 ohms
Pin 3 to Earth	21,000 ohms
Pin 4 to Earth	27,000 ohms
Pin 5 to Earth	270 ohms
Pin 6 to Earth	Infinity
Pin 7 to Earth	7 ohms
Pin 8 to Earth	270 ohms

V3 Oscillator and First Detector Stage

Pin 1 to Earth	Infinity
Pin 2 to Earth	5 ohms
Pin 3 to Earth	26,000 ohms
Pin 4 to Earth	27,000 ohms
Pin 5 to Earth	56,000 ohms
Pin 6 to Earth	27,000 ohms
Pin 7 to Earth	6 ohms
Pin 8 to Earth	270 ohms

V 4 First I.F. Stage

Pin 1 to Earth	26,000 ohms
Pin 2 to Earth	Zero 7 ohms
Pin 3 to Earth	20,000 ohms
Pin 4 to Earth	26,000 ohms
Pin 5 to Earth	310 ohms
Pin 6 to Earth	.5 ohms
Pin 7 to Earth	5 ohms
Pin 8 to Earth	310 ohms

V5 Second L.F. Stage

Pin 1 to Earth	26,000 ohms
Pin 2 to Earth	Zero ohms
Pin 3 to Earth	20,000 ohms
Pin 4 to Earth	26,000 ohms
Pin 5 to Earth	320 ohms
Pin 6 to Earth	.5 ohms
Pin 7 to Earth	7 ohms
Pin 8 to Earth	320 ohms

V6 Second Detector and First Audio Stage

Pin 1 to Earth	400,000 ohms
Pin 2 to Earth	Zero ohms
Pin 3 to Earth	26,000 ohms
Pin 4 to Earth	1 Megohm
Pin 5 to Earth	1,200,000 ohms
Pin 6 to Earth	400,000 ohms
Pin 7 to Earth	6 ohms
Pin 8 to Earth	1,100 ohms

V7 Power Output Stage

Pin 1 to Earth	16,000 ohms
Pin 2 to Earth	5 ohms
Pin 3 to Earth	17,000 ohms
Pin 4 to Earth	16,000 ohms
Pin 5 to Earth	580,000 ohms
Pin 6 to Earth	Infinity
Pin 7 to Earth	Zero ohms
Pin 8 to Earth	300 ohms

V8 B.F.O. and "S" Meter Stage

Pin 1 to Earth	1,200,000 ohms
Pin 2 to Earth	5 ohms
Pin 3 to Earth	15,000 ohms
Pin 4 to Earth	36 ohms
Pin 5 to Earth	55,000 ohms
Pin 6 to Earth	70,000 ohms
Pin 7 to Earth	5 ohms
Pin 8 to Earth	1.5 ohms

7. Note that all resistance readings shown in the foregoing tables were those actually obtained, and thus take into account the usual tolerances for the resistances used.

8. Coils

	<u>I.F. 1</u>	<u>I.F. 2</u>	<u>I.F. 3</u>	<u>I.F. 4</u>	<u>I.7</u>
Primary	11	9	8.5	8.5	8.5
Secondary	5		8.5	8.5	

	Aerial		R.F.1		R.F.2		Osc.	
	Pri.	Sec.	Pri.	Sec.	Pri.	Sec.	Pri.	Sec.
Band "A"	18	20	220	20	230	32	8	15
Band "B"	5	4	218	4	220	4	1.5	2.5
Band "C"	2	2	4	2	4.5	2	1	2
Band "D"	.5	.25	.75	.25	1	.25	.25	.25
Band "E"	.5	.25	.5	.5	1	.25	.5	.25

Output Transformer

Primary 450 ohms
 Sec. 1 (1750) 200 ohms *Red & Green*
 2 (600) 25 ohms *Black & Blue*
Yellow & Yellow

9. Stage gain for 50 MW output.

Aerial Terminal	.5uV)	
Grid 1st R.F.	5uV)	325 kc/s. standard
" 2nd R.F.	20uV)	dummy aerial used
" 6K8	210uV)	
" 6K8	65uV)	455 kc/s. (.02 mfd
" 1st I.F.	120uV)	in series with
" 2nd I.F.	10,000uV)	generator

R.F., audio, tone and noise limiter controls fully clockwise.
 Selectivity anti-clockwise.

KINGSLEY COMMUNICATION RECEIVER - TYPE K/CR/11





FIG. 4.

BANDS A, B, C, D.




FIG. 5.

FIG. 6.




FIG. 7.

FIG. 3





FIG. 1

KEY TO CIRCUIT AND SCHEDULE OF PARTS.

Part No. on Drawing	Value	Description	Part No. on Drawing	Value	Description
<u>Condensers, Figure 1.</u>			<u>Condensers, Figure 1.</u>		
C1, C2, C3, C4	11-420 mfd	Kingsley Special Tuning Assembly	C35.	100 mmfd	Mica Chanex
C5.	.05 mfd	600 V paper Chanex	C36.	.1 mfd	600 V Paper Chanex
C6.	.1 "	" " "	C37.	.01 "	Mica "
C7.	.1 "	" " "	C38.	.1 "	600 V. " "
C8.	.5 "	400 V " "	C39.	25 "	40 V Electro Aerov
C9.	.05 "	600 V " "	C40.	.005 "	Mica Chanex
C10.	.1 "	" " "	C41.	2-15 mmfd	Variable Kingsley
C11.	.1 "	" " "	C42.	3-30 "	Trimmer R.C.S.
C12.	.5 "	400 V " "	C43.	.5 mfd	400V Paper Chanex
C13.	.1 "	600 V " "	C44.		
C14.	100 mmfd	Mica "	C45.		
C15.	.05 mfd.	600 V paper "	<u>Resistors, Figure 1.</u>		
C16.	.5 "	400 V " "	R1.	100,000	watt Carb. Chanex
C17.	.1 "	600 V " "	R2.	250	" " "
C18.	.8 "	" Electro Aerovox	R3.	30,000	" " "
C19.	.05 "	" paper Chanex	R4.	50,000	" " "
C20.	.1 "	" " "	R5.	5,000	" " "
C21.	.1 "	" " "	R6.	100,000	" " "
C22.	.5 "	400 V " "	R7.	250	" " "
C23.	.05 "	600 V " "	R8.	40,000	" " "
C24.	.1 "	" " "	R9.	50,000	" " "
C25.	.05 "	" " "	R10.	5,000	" " "
C26.	.05 "	" " "	R11.	250	" " "
C27.	.1 "	" " "	R12.	50,000	" " "
C28.	.5 "	400 V " "	R13.	12,500	" " "
C29.	100 mmfd.	Mica "	R14.	10,000	" " "
C30.	250 "	" "	R15.	100,000	" " "
C31.	25 mfd.	40 V Electro Aerovox	R16.	3,500	"Pot. Kingsl
C32.	100 mmfd.	Mica Chanex	R17.	300	" Chanex
C33.	.01 mfd.	" "	R18.	50,000	" "
C34.	.1 "	600 V. paper "	R19.	5,000	" W.W. Pot Harquis

BR



ISSUES

COMMONWEALTH OF AUSTRALIA
 DEPARTMENT OF CIVIL AVIATION
 DIVISION OF AIRWAYS

RECEIVER AR7

MODIFIED FOR F.S.K. POWER SUPPLY
 SCHEMATIC CIRCUIT

NO. DRAWN	APPRO.	DATE	ISSUES
			AMENDMENTS
1			HAS HR 408 Z SH 1
L.L.L.			

DRAWN L.L.L.	EXAM'D.
7.1.25.6.57	
TRACED	APPRO. J.O.R.
CHECKED M.G.	DATE 2.12.57
DRAWING NO.	
BR-1700-Z	
SHEET 2 OF 2 SHEETS	

TS4

TS3

TS5

TS2

ONT. AERIAL CODAN EARTH SK.


POWER SUP. OCTAL SK.

UNDER CHASSIS VIEW

MOUNTING HOLES.

ISSUES						COMMONWEALTH OF AUSTRALIA	
Order	Drawn	Checked	AMENDMENTS	Exam'd	App'd	Date	No.
CG225	T.L.				G.F.	12.62	1
A4781	H.G.	M.G.	ONE ADDED TO TS2. C20 WAS 1, R52 WAS 1M.		J.O.R.	11.3.63	2
C3102	T.L.		DIMENSIONS ON TS2 & LEADS ON TS4 ALTERED. R54 WAS 3.3 K.O.		G.F.	10/63	3

DEPARTMENT OF CIVIL AVIATION	
<i>RECEIVER TYPE ART-Q1 MODIFIED FOR REMOTE CONTROL & CODAN COMPONENT STRIPS LAYOUT</i>	
DRAWING No. BR-35211	SHEET 2 OF 3 SHEETS




REM. CONT. AERIAL CODAN EARTH
OCTAL SK.

POWER SUP.
OCTAL SK.

UNDER CHASSIS VIEW


TS 2



R47 LUGS DISTANCE 1 1/8"



H.I.R. BORD: 1 3/8" x 9 3/4" x 2 3/4"
 DRILL No.36 FOR 55 B/L TURRET LUGS

TS3




H.R. BOARD: $\frac{1}{8}'' \times 4\frac{1}{4}'' \times 2\frac{3}{4}''$
 DRILL No.36 FOR 18 B/L TURRET LUGS


TS4



TS5




H.I.R. BOARD: $\frac{1}{8}'' \times 4\frac{1}{4}'' \times 2\frac{1}{4}''$
 DRILL No.36 FOR 21 B/L TURRET LUGS



CAP V6

H.I.R. BOARD: $\frac{1}{8}'' \times 1\frac{1}{4}'' \times 2\frac{1}{4}''$
 DRILL No.36 FOR 2 B/L TURRET LUGS

CHECK METER FOR CORRECT
 HOLE DISTANCE AND SIZE



TS
 BACK OF 'S' METER

H.I.R. BOARD: $\frac{1}{8}'' \times 2\frac{1}{4}'' \times 1\frac{1}{8}''$
 DRILL No.36 FOR 2 B/L TURRET LUGS